

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for 010-0050

Mouse IgG Agarose

Overview

| Description: | Mouse IgG Whole Molecule Agarose Conjugated - 010-0050 |
|--------------|--|
| Item No.: | 010-0050 |
| Size: | 10 mg |
| Origin: | Mouse |

Product Details

Background: Mouse IgG whole molecule Agarose Conjugated product is made from IgG, secreted as part of

the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglutination (and thereby immobilizing them), activation of the compliment cascade, and opsonization for phagocytosis. The whole IgG molecule possesses both the F(c) region, recognized by high-affinity Fc receptor proteins, as well as the F (ab) region possessing the epitope-recognition site. Both heavy and light chains of the antibody

molecule are present.

Synonyms: Mouse IgG Whole Molecule Agarose Conjugate, Mouse IgG Agarose

Species of Origin: Mouse

Conjugate: Agarose

Format: IgG

Type: Native Protein

Target Details

Purity/Specificity: This product is normal Mouse IgG coupled to activated agarose. A single precipitin arc was

observed against anti-Mouse Serum when assayed by immunoelectrophoresis prior to coupling

to the beads.

Application Details

Application Note: Mouse IgG Agarose is suitable for immunoprecipitation and Immunoaffinity purifications.

www.rockland.com Page 1 of 3



www.rockland.com tech@rockland.com +1 484.791.3823

| Assay Dilutions: | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below. |
|------------------|---|
| IP: | User Optimized |


Formulation

| Physical State: | Suspension of agarose beads |
|-----------------|--|
| Concentration: | 12.3 mg/mL antibody per cc agarose |
| Buffer: | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Preservative: | 0.01% (w/v) Sodium Azide |
| Stabilizer: | None |

Shipping & Handling

| Shipping Condition: | Wet Ice |
|---------------------|---|
| Storage Condition: | Store vial at 4° C prior to opening. DO NOT FREEZE. |
| Expiration: | Expiration date is one (1) year from date of receipt. |

Images



SDS-PAGE

SDS-PAGE of Mouse IgG Whole Molecule Rhodamine Conjugated (p/n 010-0002). MW: 5 μ L Opal Prestained Marker (p/n MB-210-0500). Lane 1: Reduced Mouse IgG Whole Molecule Rhodamine Conjugated (p/n 010-0002). Lane 2: Reduced Mouse F(c) Fragment (p/n 010-0103). Lane 3: Reduced Mouse F(ab) Fragment (p/n 010-0105). Lane 4: Mouse IgM Kappa Myeloma Protein (p/n 010-001-033). Load: 1 μ g per lane. Predicted/Observed size: IgG at 50 and 25 kDa; F(c) at 25 kDa; F(ab) at 25 kDa; IgM K at 70 and 23 kDa. Observed F(c) Fragment migrates slightly higher.

Disclaimer

www.rockland.com Page 2 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 3 of 3