

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for 017-0502

Monkey IgG Alkaline Phosphatase

Overview

Description:	Monkey IgG Whole Molecule Alkaline Phosphatase Conjugated - 017-0502		
Item No.:	017-0502		
Size:	500 μg		
Origin:	Monkey		

Product Details

Bac	cground	:	Monkey	IgG	Alkaline	Phosphatase	Conjugated	Whole M	olecu	le - secreted	d as part o	f the ada	aptive
-----	---------	---	--------	-----	----------	-------------	------------	---------	-------	---------------	-------------	-----------	--------

immune response by plasma B cells, immunoglobulin G constitutes 75% of serum

immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglutination (and thereby immobilizing them), activation of the compliment cascade, and opsonization for phagocytosis. The whole IgG molecule possesses both the F(c) region, recognized by high-affinity Fc receptor proteins, as well as the F (ab) region possessing the epitope-recognition site. Both heavy and light chains of the antibody

molecule are present.

Synonyms:	Monkey IgG alkaline phosphatase conjugation. Monkey IgG alk phos conju	rato
Synonyms:	Monkey leg alkaline phosphatase conjugation, Monkey leg alk phos conju	gate

Species of Origin: Monkey

Conjugate: Alkaline Phosphatase (AP)

Format: IgG

Type: Native Protein

Target Details

Purity/Specificity: This product was prepared from normal serum by delipidation, salt fractionation, ion exchange

chromatography followed by conjugation and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Monkey IgG,

anti-Monkey Serum and anti-Alkaline Phosphatase (calf intestine).

Application Details

Application Note: Monkey IgG Alkaline Phosphatase Conjugated Whole Molecule Secondary Antibody reagents

www.rockland.com Page 1 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

	are ideal for ELISA, western blotting, Immunohistochemistry, as well as other antibody detection methods.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

Formulation

Physical State:	Liquid (sterile filtered)
Buffer:	0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol; pH 8.0
Preservative:	0.01% (w/v) Sodium Azide
Stabilizer:	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free

Shipping & Handling

Shipping Condition:	Wet Ice						
Storage Condition:	Store vial at 4° C before opening. DO NOT FREEZE. This product is stable at 4° C as an undiluted liquid. Dilute only prior to immediate use. Freezing alkaline phosphatase conjugates will result in a substantial loss of enzymatic activity.						
Expiration:	Expiration date is one (1) year from date of receipt.						

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 2 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

www.rockland.com Page 3 of 3