

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for 100-1154 Carbonic Anhydrase I Antibody

Overview

Description:	Anti-Carbonic Anhydrase I (GOAT) Antibody - 100-1154
Item No.:	100-1154
Size:	2 mL
Reactivity:	Human
Host Species:	Goat

Product Details

Background:	Carbonic Anhydrase 1 reverses hydration of carbon dioxide and can hydrate cyanamide to urea. Carbonic Anhydrase I is activated by histamine, imidazole, L-adrenaline, L- and D-histidine, and L- and D-phenylalanine. It is inhibited by coumarins, sulfonamide derivatives such as acetazolamide, benzenesulfonamide and derivatives (4-carboxyethylbenzene-sulfonamide, 4- carboxyethylbenzene-sulfonamide ethyl ester, 4-(acetyl-2-aminoethyl)benzene-sulfonamide, 4- aminoethylbenzene-sulfonamide), and 'prong inhibitors' BR15, BR17, BR22 and BR30. It is activated by a short exposition to Foscarnet (phosphonoformate trisodium salt), but inhibited by a long one. Esterase activity is weakly reduced by cyanamide.
Synonyms:	goat anti-Carbonic Anhydrase I Antibody, Car1 antibody, Carbonate dehydratase I antibody, Carbonic anhydrase 1 antibody, Carbonic anhydrase B antibody, Carbonic dehydratase antibody, ECK0125 antibody, yadF antibody
Host Species:	Goat
Clonality:	Polyclonal
Format:	Antiserum

Target Details

Gene Name:	CA1
Reactivity:	Human
Immunogen Type:	Native Protein
Immunogen:	Carbonic Anhydrase I [Human Erythrocytes]



www.rockland.com tech@rockland.com +1 484.791.3823

Purity/Specificity:	This product was prepared from monospecific antiserum by a delipidation and defibrination. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-goat serum, purified and partially purified Carbonic Anhydrase I [Human Erythrocytes]. Cross reactivity against Carbonic Anhydrase I from other tissues and species may occur but have not been specifically determined.	
Relevant Links:	• 100-1154 SDS	
	• UniProtKB - P00915	
	• NCBI - NP_001122301.1	
	• GenelD - 759	

Application Detai	ils
Application Note:	Anti-Carbonic Anhydrase I has been assayed against 1.0 ug of Carbonic Anhydrase I [Human Erythrocytes] in a standard ELISA using Peroxidase conjugated Affinity Purified anti-Goat IgG [H&L] (Rabbit) code #605-4302 and (ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:1,000 to 1:5,000 is suggested for this product.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
ELISA:	1:20,000 - 1:100,000
WB:	1:2,000 - 1:10,000

Formulation

Physical State:	Lyophilized
Concentration:	100 mg/mL by Refractometry
Buffer:	0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.01% (w/v) Sodium Azide
Stabilizer:	None
Reconstitution Volume:	2.0 mL
Reconstitution Buffer:	Restore with deionized water (or equivalent)

Shipping & Handling

Shipping	Condition:	Ambient
----------	------------	---------



www.rockland.com tech@rockland.com +1 484.791.3823

Storage Condition:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiration:	Expiration date is one (1) year from date of receipt.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.