



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet for 100-401-N94S**TET3 Antibody****Overview**

Description:	Anti-TET3 (RABBIT) Antibody - 100-401-N94S
Item No.:	100-401-N94S
Size:	25 µL
Applications:	WB
Reactivity:	Human
Host Species:	Rabbit

Product Details

Background:	Anti-Tet3 is expressed in colon, muscle, adrenal gland and peripheral blood lymphocytes. Anti-Tet3 is involved in the epigenetic chromatin reprogramming of a zygote after its fertilization, and the demethylation occurs before the first cell division in the paternal pronucleus. Tet 3 antibody cannot bind to the maternal pronucleus chromatin due to DPPA3/PGC7 chromatin presence. Tet 3 functions as the dioxygenase which synthesizes a hydroxyl group to 5-methylcytosine (5mC) to form 5-hydroxymethylcytosine. Tet3 mediates the formation of 5-formylcytosine from 5hmC and subsequently 5fC to 5-carboxylcytosine, and consequently Tet3 plays an active role in catalyzing those conversions which have been suggested as the first step for cytosine DNA de-methylation. Tet 3 also recruits O-GlcNAc transferase OGT to aid H2B GlcNAcylation by OGT. Anti-TET3 antibodies are ideal for researchers interested in Epigenetics, Cancer, Chromatin Research and Histone research.
Synonyms:	rabbit anti-TET3 Antibody, TET antibodies, Anti-TET Methylcytosine Dioxygenase 3, Anti-TET3 polyclonal antibody, KIAA0401 antibody, dioxygenase antibodies
Host Species:	Rabbit
Clonality:	Polyclonal
Format:	Antiserum

Target Details

Gene Name:	TET3
Reactivity:	Human

Immunogen Type:	Recombinant Protein
Immunogen:	TET3 antibody was prepared from whole rabbit serum produced by repeated immunizations with a human TET-3 domain containing the N-terminal 160 amino acids of the protein.
Purity/Specificity:	Anti-TET3 Antibody was prepared from whole rabbit antiserum by delipidation and defibrination. The antiserum was further cross-absorbed against MBP by chromatography. It is directed against, and shows specific reactivity for Tet3 protein. Cross reactivity with Tet1 and Tet2 has not been determined.
Relevant Links:	<ul style="list-style-type: none">• UniProtKB - O43151• NCBI - NP_659430.1• GeneID - 200424

Application Details

Tested Applications:	WB
Application Note:	Tet3 antibody has been tested by Western Blot. Specific conditions for reactivity should be optimized by the end user. Expect band at ~180kDa. This antibody is suitable for use by ELISA.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
ELISA:	1:50,000
WB:	1:5000

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	70mg/mL by Refractometry
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.01% (w/v) Sodium Azide
Stabilizer:	None


Shipping & Handling

Shipping Condition:	Dry Ice
----------------------------	---------

Storage Condition: Store vial at -20° C or below prior to opening. This vial contains a relatively low volume of reagent (25 µL). To minimize loss of volume dilute 1:10 by adding 225 µL of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing and thawing.

Expiration: Expiration date is one (1) year from date of receipt.

Images



Western Blot

Western Blot of Rabbit Anti-TET3 Antibody. Lane 1: CEM nuclear extract. Lane 2: THP-1 nuclear extract. Load: 25 µg per lane. Primary antibody: TET3 antibody at 1:1000 for overnight at 4°C. Secondary antibody: HRP rabbit secondary antibody at 1:5000 for 45 min at RT. Block: 5% BLOTTO overnight at 4°C. Predicted/Observed size: Isoforms of TET3 include 180kDa, 167kDa and 78kDa. Other band(s): nonspecific.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.