

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for 101-4101 Bovine Serum Antibody

Overview

| Description: | Anti-Bovine Serum (RABBIT) Antibody - 101-4101 |
|----------------------|--|
| Item No.: | 101-4101 |
| Size: | 2 mL |
| Applications: | Purification |
| Reactivity: | Bovine |
| Host Species: | Rabbit |

Product Details

| Background: | Anti-Bovine serum antibody detects bovine serum proteins. Serum proteins are those proteins remaining in portion of plasma after coagulation of blood, during which process the plasma protein fibrinogen is converted to fibrin and remains behind in the clot. Anti-Bovine serum antibody is ideal for investigators involved in Cell Signaling, cellular biology and Signal Transduction research. |
|---------------|---|
| Synonyms: | Bovine serum antibody, Rabbit and bovine serum, cow plasma, Anti-bovine serum antibody produced in rabbit, anti-cow serum |
| Host Species: | Rabbit |
| Clonality: | Polyclonal |
| Format: | Antiserum |

Target Details

| Reactivity: | Bovine |
|---------------------|---|
| Immunogen Type: | Native Protein |
| Immunogen: | Anti-Bovine serum antibody was produced by repeated immunizations with Bovine serum proteins |
| Purity/Specificity: | Anti-Bovine serum antibody was prepared from polyspecific antiserum by a delipidation and defibrination. Assay by immunoelectrophoresis resulted in single precipitin arc against antirabbit IgG and multiple precipitin arcs against Bovine Serum. |

www.rockland.com Page 1 of 3



www.rockland.com tech@rockland.com +1 484.791.3823

Relevant Links: • 101-4101 SDS

Application Details

| Suggested Applications: | Purification (Based on references) |
|-------------------------|--|
| Application Note: | Anti-Bovine serum antibody is suitable for western blotting, IP and for ELISA. Researchers should determine optimal titers for applications that are not stated below. |
| Assay Dilutions: | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below. |
| ELISA: | User Optimized |
| IP: | User Optimized |
| WB: | User Optimized |

Formulation

| Physical State: | Lyophilized |
|------------------------|--|
| Concentration: | 90 mg/mL by Refractometry |
| Buffer: | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Preservative: | 0.01% (w/v) Sodium Azide |
| Stabilizer: | None |
| Reconstitution Volume: | 2.0 mL |
| Reconstitution Buffer: | Restore with deionized water (or equivalent) |

Shipping & Handling

| Shipping Condition: | Ambient |
|---------------------|---|
| Storage Condition: | Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. |
| Expiration: | Expiration date is one (1) year from date of receipt. |

References

www.rockland.com Page 2 of 3





www.rockland.com tech@rockland.com +1 484.791.3823

• Kovari et al. Frustrated Phagocytic Spreading of J774A-1 Macrophages Ends in Myosin II-Dependent Contraction. Biophysical Journal (2016)

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 3 of 3