



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Datasheet for K505

## Blocking Buffer Sampler Kit

### Overview

<b>Description:</b>	Blocking Buffer Sampler Kit - K505
<b>Item No.:</b>	K505
<b>Size:</b>	1 Kit
<b>Applications:</b>	ELISA, IF, IHC, Multiplex, WB

### Product Details

<b>Background:</b>	Set of different blocking buffers for all sorts of immunoassays.
<b>Synonyms:</b>	Blocking Buffer Sampler Kit, Normal Goat Serum, NGS, BSA, Bovine Serum Albumin, Blocking Buffer for Fluorescent Western Blotting, ELISA Microwell Blocking Buffer with Stabilizer, TBS Fish Gel Solution
<b>Detection Kit Type:</b>	Sampler Pack

### Target Details

<b>Purity/Specificity:</b>	Lyophilized normal goat serum was prepared from normal goat serum by a multi-step process which includes delipidation and selective precipitation. Assay by immunoelectrophoresis resulted in a multiple precipitin arcs against anti-Goat Serum. BSA has Purity (%): 100% by Agarose Zone Electrophoresis Protease: <0.005 units/mg by Enzymatic Assay. And no detectable IgG by Radial Immunodiffusion. Blocking Buffer (2X) for Fluorescent Western Blotting, ELISA Microwell blocking buffer with stabilizer, and Fish gel concentrate were aseptically filtered through a Millipore 0.22 micron filter into clean, pre-sterilized containers. The products were tested on trypticase soy agar for 24 hours, 48 hours and 72 hours and found to be negative for bacteria.
----------------------------	---

### Application Details

<b>Tested Applications:</b>	ELISA, IF, IHC, Multiplex, WB
<b>Application Note:</b>	Blocking Buffer Sampler Kit contains: Normal Goat Serum (NGS), Bovine Serum Albumin - Fraction V, Blocking Buffer (2X) for Fluorescent Western Blotting, ELISA Microwell Blocking Buffer with Stabilizer, 10X TBS Fish Gel Concentrate.

**Assay Dilutions:** All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

---

**ELISA:** User Optimized

---

**IF:** User Optimized

---

**IHC:** User Optimized

---

**WB:** User Optimized

---

## Formulation

---

**Physical State:** Liquid and Lyophilized

---

**Concentration:** n/a

---

**Buffer:** See application note.

---

## Shipping & Handling

---

**Shipping Condition:** Wet Ice

---

**Storage Condition:** Do not freeze kit. Store kit at 4° C. Kit contains multiple components. See kit insert for complete instructions.

---

**Expiration:** See kit insert for complete instructions.

---

## Images



**Bottle**  
Blocking Buffer Sampler Kit

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.