

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



www.rockland.com tech@rockland.com +1 484.791.3823

Datasheet for KOA0161 Human CCL24 - Eotaxin-2 ELISA Kit

Overview

| Description: | Human CCL24/Eotaxin-2 AccuSignal ELISA Kit - KOA0161 |
|---------------|--|
| Item No.: | KOA0161 |
| Size: | 1 Kit |
| Applications: | ELISA |
| Reactivity: | Human |
| Range: | 78 pg/ml - 5000 pg/ml |

Product Details

| Background: | Chemokine(C-C motif) ligand 24(CCL24) also known as myeloid progenitor inhibitory factor 2 (MPIF-2) or eosinophil chemotactic protein 2(eotaxin-2) is a protein that in humans is encoded by the CCL24 gene. By use of PCR analysis of somatic cell hybrid DNAs, radiation hybrid mapping, and a chromosome 7-specific YAC library, mapped the SCYA24 gene to chromosome 7q11.23. CCL24 is a small cytokine belonging to the CC chemokine family. CCL24 interacts with chemokine receptor CCR3 to induce chemotaxis in eosinophils.3 This chemokine is also strongly chemotactic for resting T lymphocytes and slightly chemotactic for neutrophils. |
|---------------------|--|
| Synonyms: | C C motif chemokine 24, CCL24, Chemokine (C C motif) ligand 24, Chemokine CC Motif Ligand 2, CK beta 6, Ckb 6, Ckb6, Eosinophil chemotactic protein 2, Eotaxin 2 like protein, MPIF 2, MPIF2, Myeloid progenitor inhibitory factor 2, OTTHUMP00000210225, SCYA24, Small inducible cytokine A24, Small inducible cytokine subfamily A (Cys Cys) member 24 |
| Detection Kit Type: | ELISA Kit |
| Detection Range: | 78 pg/ml - 5000 pg/ml |
| Sensitivity: | <2 pg/ml |

Target Details

| Gene Name: | CCL24 |
|-------------|--|
| Reactivity: | Human |
| Immunogen: | Expression system for standard: E.coli; Immunogen sequence: V27-C119 |



www.rockland.com tech@rockland.com +1 484.791.3823

| Purity/Specificity: | Natural and recombinant human CCL24. There is no detectable cross-reactivity with other relevant proteins. |
|---------------------|--|
| Relevant Links: | • UniProtKB - 000175 |
| | • NCBI - NP_002982.2 |
| | • GenelD - 6369 |
| | KOA0161 Protocol |
| | |

Application Details

| Tested Applications: | ELISA |
|----------------------|--|
| Application Note: | Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1ml per well of 5000pg/ml, 2500pg/ml, 1250pg/ml, 625pg/ml, 313pg/ml, 156pg/ml, 78pg/ml human CCL24 standard solutions into the precoated 96-well plate. Add 0.1ml of the sample diluent buffer into the control well (Zero well). Add 0.1ml of each properly diluted sample of human cell culture supernates, serum or plasma(heparin, EDTA) to each empty well. It is recommended that each human CCL24 standard solution and each sample be measured in duplicate. |
| Assay Dilutions: | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below. |

Formulation

| Anticoagulant: | Heparin Sodium | |
|----------------|----------------|--|
|----------------|----------------|--|


Shipping & Handling

| Shipping Condition: | Wet Ice |
|---------------------|---|
| Storage Condition: | Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing. |
| Expiration: | See kit insert for complete instructions. |

Images



www.rockland.com tech@rockland.com +1 484.791.3823



ELISA

Human CCL24/Eotaxin-2 AccuSignal ELISA standard curve. Assay Range: 78pg/ml-5000pg/ml. Sensitivity: <2pg/ml.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.