

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





www.rockland.com tech@rockland.com +1 484.791.3823

# Datasheet for KOA0170 Rat Fibronectin ELISA Kit

#### **Overview**

Description:	Rat Fibronectin AccuSignal ELISA Kit - KOA0170
Item No.:	KOA0170
Size:	1 Kit
Applications:	ELISA
Reactivity:	Rat
Range:	156 pg/ml - 10000 pg/ml

#### **Product Details**

**Background:** Fibronectin(FN) also known as LETS, is identified on the surfFN of fibroblasts by labeling with

radioactive compounds or specific antibodies. Fibronectin is a 430,000-dalton dimeric glycoprotein that exists in 2 forms, termed cellular and plasma fibronectin. Cellular and plasma fibronectins are heterodimers consisting of similar but not identical polypeptides. These two forms of FN differ in biologic activity. Fibronectins bind cell surfFNs and various compounds including collagen, fibrin, heparin, DNA, and actin. Because fibronectin stimulates endocytosis in several systems and promotes the clearance of particulate material from the circulation, it could function in the clearance of C1q-coated material such as immune complexes or cellular debris. Fibronectins are involved in cell adhesion, cell motility, opsonization, would healing, and maintenance of cell shape. LETS, encoded on chromosome 8, is responsible for the LETS protein expression in humans. Because LETS has been implicated in tumorigenicity and cellular transformation, it is of interest that rearrangement or modifications in the number of chromosome 8 have been associated with certain forms of cancer. The standard used in this kit is isolated from rat plasma with the molecular mass of 200-250KDa.

15 150lated Hoffi Fat plasma with the Molecular Mass of 200 250kba.

 ${\it CIG, Cold\ insoluble\ globulin, Fold-insoluble\ globulin, Fibronectin\ 1,\ FINC,\ FINC\_HUMAN,\ FN,\ FN1,\ FN1,\ FN2,\ FN2,\ FN3,\ FN3$ 

FNZ, Migration stimulating factor, MSF, Ugl-Y3

**Detection Kit Type:** ELISA Kit

**Detection Range:** 156 pg/ml - 10000 pg/ml

Sensitivity: <15 pg/ml

## **Target Details**

Synonyms:

Gene Name: FN1

www.rockland.com Page 1 of 3



www.rockland.com tech@rockland.com +1 484.791.3823

Reactivity:	Rat
Immunogen:	From Plasma
Purity/Specificity:	Natural rat Fibronectin. There is no detectable cross-reactivity with other relevant proteins.
Relevant Links:	• UniProtKB - P04937
	• NCBI - NP_062016.2
	• GeneID - 25661
	KOA0170 Protocol

# **Application Details**

<b>Tested Applications:</b>	ELISA
Application Note:	Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1ml per well of the 10000pg/ml, 5000pg/ml, 2500pg/ml, 1250pg/ml, 625pg/ml, 313pg/ml, 156pg/ml rat Fibronectin standard solutions into the precoated 96-well plate. Add 0.1ml of the sample diluent buffer into the control well (Zero well). Add 0.1ml of each properly diluted sample of rat cell culture supernates, serum or plasma(heparin, EDTA, citrate) to each empty well. We recommend that each rat Fibronectin standard solution and each sample is measured in duplicate.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
ELISA:	156 pg/ml-10000 pg/ml
Other:	DOE: 2-8° C - 03/11/2024 -20° C - 09/11/2024

## **Formulation**

Concentration:	1 Kit
Anticoagulant:	Heparin Sodium

# **Shipping & Handling**

Shipping Condition:	Wet Ice
Storage Condition:	Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.

www.rockland.com Page 2 of 3






www.rockland.com tech@rockland.com +1 484.791.3823

**Expiration:** See kit insert for complete instructions.

### **Images**



#### **ELISA**

Rat Fibronectin AccuSignal ELISA Kit standard curve. Assay Range: 156pg/ml-10000pg/ml. Sensitivity: <15pg/ml.

#### **Disclaimer**

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com Page 3 of 3