



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# ABHD5 (m): 293T Lysate: sc-118168

## BACKGROUND

$\alpha/\beta$ -hydrolase domains are characterized by a catalytic triad composed of a histidine, an acid and a nucleophile. ABHD5 ( $\alpha/\beta$ -hydrolase domain containing 5), also known as CGI-58, NCIE2 or CDS, is a 349 amino acid protein that contains an  $\alpha/\beta$ -hydrolase domain through which it conveys catalytic function. Localized to the surface of lipid droplets, ABHD5 is widely expressed and interacts with Perilipin on the surface of lipid droplets where it facilitates lipolysis, the breakdown of fat. Defects in the gene encoding ABHD5 are the cause of Chananin-Dorfman syndrome (CDS), an autosomal recessive inborn error of lipid metabolism with impaired long-chain fatty acid oxidation. CDS symptoms include congenital generalized ichthyosis, vacuolated leukocytes, hepatomegaly, myopathy, cataracts, neurosensory hearing loss and developmental delay.

## REFERENCES

- Lefèvre, C., Jobard, F., Caux, F., Bouadjar, B., Karaduman, A., Heilig, R., Lakhdar, H., Wollenberg, A., Verret, J.L., Weissenbach, J., Ozgüc, M., Lathrop, M., Prud'homme, J.F. and Fischer, J. 2001. Mutations in CGI-58, the gene encoding a new protein of the esterase/lipase/thioesterase subfamily, in Chananin-Dorfman syndrome. *Am. J. Hum. Genet.* 69: 1002-1012.
- Online Mendelian Inheritance in Man, OMIM™. 2002. Johns Hopkins University, Baltimore, MD. MIM Number: 604780: World Wide Web URL: <http://www.ncbi.nlm.nih.gov/omim/>
- Schleinitz, N., Fischer, J., Sanchez, A., Veit, V., Harle, J.R. and Pelissier, J.F. 2005. Two new mutations of the ABHD5 gene in a new adult case of Chananin-Dorfman syndrome: an uncommon lipid storage disease. *Arch. Dermatol.* 141: 798-800.
- Lass, A., Zimmermann, R., Haemmerle, G., Riederer, M., Schoiswohl, G., Schweiger, M., Kienesberger, P., Strauss, J.G., Gorkiewicz, G. and Zechner, R. 2006. Adipose triglyceride lipase-mediated lipolysis of cellular fat stores is activated by CGI-58 and defective in Chananin-Dorfman syndrome. *Cell Metab.* 3: 309-319.
- Ben Selma, Z., Yilmaz, S., Schischmanoff, P.O., Blom, A., Ozogul, C., Laroche, L. and Caux, F. 2007. A novel S115G mutation of CGI-58 in a Turkish patient with Dorfman-Chananin syndrome. *J. Invest. Dermatol.* 127: 2273-2276.
- Fischer, J., Negre-Salvayre, A. and Salvayre, R. 2007. Neutral lipid storage diseases and ATGL (adipose triglyceride lipase) and CGI-58/ABHD5 ( $\alpha/\beta$  hydrolase domain-containing 5) deficiency: myopathy, ichthyosis, but no obesity. *Med. Sci.* 23: 575-578.
- Yamaguchi, T., Omatsu, N., Morimoto, E., Nakashima, H., Ueno, K., Tanaka, T., Satouchi, K., Hirose, F. and Osumi, T. 2007. CGI-58 facilitates lipolysis on lipid droplets but is not involved in the vesiculation of lipid droplets caused by hormonal stimulation. *J. Lipid Res.* 48: 1078-1089.

## CHROMOSOMAL LOCATION

Genetic locus: Abhd5 (mouse) mapping to 9 F4.

## RESEARCH USE

For research use only, not for use in diagnostic procedures.

## PRODUCT

ABHD5 (m): 293T Lysate represents a lysate of mouse ABHD5 transfected 293T cells and is provided as 100  $\mu$ g protein in 200  $\mu$ l SDS-PAGE buffer.

## APPLICATIONS

ABHD5 (m): 293T Lysate is suitable as a Western Blotting positive control for mouse reactive ABHD5 antibodies.


Control 293T Lysate: sc-117752 is available as a Western Blotting negative control lysate derived from non-transfected 293T cells.

ABHD5 (36A): sc-100468 is recommended as a positive control antibody for Western Blot analysis of enhanced mouse ABHD5 expression in ABHD5 transfected 293T cells (starting dilution 1:100, dilution range 1:100-1:1,000).

## RECOMMENDED SUPPORT REAGENTS

To ensure optimal results, the following support reagents are recommended:  
 1) Western Blotting: use m-IgG $\kappa$  BP-HRP: sc-516102 or m-IgG $\kappa$  BP-HRP (Cruz Marker): sc-516102-CM (dilution range: 1:1000-1:10000), Cruz Marker™ Molecular Weight Standards: sc-2035, UltraCruz® Blocking Reagent: sc-516214 and Western Blotting Luminol Reagent: sc-2048.

## DATA



ABHD5 (36A): sc-100468. Western blot analysis of ABHD5 expression in non-transfected: sc-117752 (A) and mouse ABHD5 transfected: sc-118168 (B) 293T whole cell lysates.

## STORAGE

Store at -20° C. Repeated freezing and thawing should be minimized. Sample vial should be boiled once prior to use. Non-hazardous. No MSDS required.

## PROTOCOLS

See our web site at [www.scbt.com](http://www.scbt.com) for detailed protocols and support products.