



**SZABO  
SCANDIC**

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](http://linkedin.com/company/szaboscandic)



# Angptl4 (m): 293T Lysate: sc-118396

## BACKGROUND

Angiopoietin-like 4 (Angptl4), also designated hepatic fibrinogen/angiopoietin-related protein (HFARP), is a secreted protein which, through an endocrine action, exerts a protective function over endothelial cells. The Angptl4 gene has hypoxia-induced expression in endothelial cells. Angptl4 has a highly hydrophobic region at the N-terminus that is typical of a secretory signal sequence and one consensus glycosylation site. Angptl4 is considered a marker of renal cell carcinoma (other renal tumor cells do not produce Angptl4 mRNA). Evidence suggests that Angptl4 is a blood-borne hormone directly involved in regulating glucose homeostasis, lipid metabolism and Insulin sensitivity. Angptl4 exerts distinct effects on glucose and lipid metabolism, and may be useful for the treatment of diabetes.

## REFERENCES

1. Kim, I., Kim, H.G., Kim, H., Kim, H.H., Park, S.K., Uhm, C.S., Lee, Z.H. and Koh, G.Y. 2000. Hepatic expression, synthesis and secretion of a novel fibrinogen/angiopoietin-related protein that prevents endothelial cell apoptosis. *Biochem. J.* 346: 603-610.
2. Li, K.Q., Li, W.L., Peng, S.Y., Shi, X.Y., Tang, H.L. and Liu, Y.B. 2004. Anti-tumor effect of recombinant retroviral vector-mediated human Angptl4 gene transfection. *Chin. Med. J.* 117: 1364-1369.
3. Ge, H., Cha, J.Y., Gopal, H., Harp, C., Yu, X., Repa, J.J. and Li, C. 2005. Differential regulation and properties of angiopoietin-like proteins 3 and 4. *J. Lipid Res.* 46: 1484-1490.
4. Yu, X., Burgess, S.C., Ge, H., Wong, K.K., Nassem, R.H., Garry, D.J., Sherry, A.D., Malloy, C.R., Berger, J.P. and Li, C. 2005. Inhibition of cardiac lipoprotein utilization by transgenic overexpression of Angptl4 in the heart. *Proc. Natl. Acad. Sci. USA* 102: 1767-1772.
5. Xu, A., Lam, M.C., Chan, K.W., Wang, Y., Zhang, J., Hoo, R.L., Xu, J.Y., Chen, B., Chow, W.S., Tso, A.W. and Lam, K.S. 2005. Angiopoietin-like protein 4 decreases blood glucose and improves glucose tolerance but induces hyperlipidemia and hepatic steatosis in mice. *Proc. Natl. Acad. Sci. USA* 102: 6086-6091.
6. SWISS-PROT/TrEMBL (Q9BY76). World Wide Web URL:  
<http://www.expasy.ch/sprot/sprot-top.html>

## CHROMOSOMAL LOCATION

Genetic locus: Angptl4 (mouse) mapping to 17 B1.

## PRODUCT

Angptl4 (m): 293T Lysate represents a lysate of mouse Angptl4 transfected 293T cells and is provided as 100 µg protein in 200 µl SDS-PAGE buffer.

## STORAGE

Store at -20° C. Repeated freezing and thawing should be minimized. Sample vial should be boiled once prior to use. Non-hazardous. No MSDS required.

## RESEARCH USE

For research use only, not for use in diagnostic procedures.

## APPLICATIONS

Angptl4 (m): 293T Lysate is suitable as a Western Blotting positive control for mouse reactive Angptl4 antibodies. Recommended use: 10-20 µl per lane.

Control 293T Lysate: sc-117752 is available as a Western Blotting negative control lysate derived from non-transfected 293T cells.

## PROTOCOLS

See our web site at [www.scbt.com](http://www.scbt.com) for detailed protocols and support products.