



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

ANP32B (m2): 293T Lysate: sc-125817

BACKGROUND

ANP32B (acidic (leucine-rich) nuclear phosphoprotein 32 family, member B), also known as PHAPI2, SSP29 or APRIL, is a 251 amino acid protein that localizes to the nucleus and contains four LRR (leucine-rich repeat) motifs. Expressed in placenta, heart, pancreas, lung, prostate, spleen and thymus, ANP32B exists as a multifunctional protein that plays an essential role in cell cycle progression and cell survival and is required for the G₁ to S phase transition. Additionally, ANP32B functions as an anti-apoptotic factor that inhibits the activity of caspase-3, a protein that is crucial for the successful execution of apoptotic events. Two isoforms of ANP32B exist due to alternative splicing.

REFERENCES

1. Zhu, L., et al. 1997. Cloning and characterization of a new silver-stainable protein SSP29, a member of the LRR family. *Biochem. Mol. Biol. Int.* 42: 927-935.
2. Mencinger, M., et al. 1998. Expression analysis and chromosomal mapping of a novel human gene, APRIL, encoding an acidic protein rich in leucines. *Biochim. Biophys. Acta* 1395: 176-180.
3. Jiang, X., et al. 2003. Distinctive roles of PHAP proteins and prothymosin- α in a death regulatory pathway. *Science* 299: 223-226.
4. Bonci, D., et al. 2004. Potential role of APRIL as autocrine growth factor for megakaryocytopoiesis. *Blood* 104: 3169-3172.
5. Planelles, L., et al. 2004. APRIL promotes B-1 cell-associated neoplasm. *Cancer Cell* 6: 399-408.
6. Matilla, A. and Radrizzani, M. 2005. The Anp32 family of proteins containing leucine-rich repeats. *Cerebellum* 4: 7-18.
7. Ingold, K., et al. 2005. Identification of proteoglycans as the APRIL-specific binding partners. *J. Exp. Med.* 201: 1375-1383.
8. Fries, B., et al. 2007. Analysis of nucleocytoplasmic trafficking of the HuR ligand APRIL and its influence on CD83 expression. *J. Biol. Chem.* 282: 4504-4515.
9. Munemasa, Y., et al. 2008. Promoter region-specific histone incorporation by the novel histone chaperone ANP32B and DNA-binding factor KLF5. *Mol. Cell. Biol.* 28: 1171-1181.

CHROMOSOMAL LOCATION

Genetic locus: Anp32b (mouse) mapping to 4 B1.

PRODUCT

ANP32B (m2): 293T Lysate represents a lysate of mouse ANP32B transfected 293T cells and is provided as 100 μ g protein in 200 μ l SDS-PAGE buffer.

STORAGE

Store at -20° C. Repeated freezing and thawing should be minimized. Sample vial should be boiled once prior to use. Non-hazardous. No MSDS required.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

APPLICATIONS

ANP32B (m2): 293T Lysate is suitable as a Western Blotting positive control for mouse reactive ANP32B antibodies. Recommended use: 10-20 μ l per lane.

Control 293T Lysate: sc-117752 is available as a Western Blotting negative control lysate derived from non-transfected 293T cells.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.