



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

SBK1 (m2): 293T Lysate: sc-127513

BACKGROUND

SBK1 (SH3-binding domain kinase 1), also known as Sbk or serine/threonine-protein kinase SBK1, is a 424 amino acid cytoplasmic protein that is thought to play a role in signal-transduction pathways during brain development. A member of the serine/threonine-protein kinase family and protein kinase superfamily, SBK1 contains one protein kinase domain and is encoded by a gene that maps to human chromosome 16p11.2. Chromosome 16 encodes over 900 genes and comprises nearly 3% of the human genome. The GAN gene is located on chromosome 16 and, with mutation, may lead to giant axonal neuropathy, a nervous system disorder characterized by increasing malfunction with growth. The rare disorder Rubinstein-Taybi syndrome is also associated with chromosome 16, as is Crohn's disease, which is a gastrointestinal inflammatory condition.

REFERENCES

1. Bomont, P., Cavalier, L., Blondeau, F., Ben Hamida, C., Belal, S., Tazir, M., Demir, E., Topaloglu, H., Korinthenberg, R., Tüysüz, B., Landrieu, P., Hentati, F. and Koenig, M. 2000. The gene encoding gigaxonin, a new member of the cytoskeletal BTB/kelch repeat family, is mutated in giant axonal neuropathy. *Nat. Genet.* 26: 370-374.
2. Nara, K., Akasako, Y., Matsuda, Y., Fukazawa, Y., Iwashita, S., Kataoka, M. and Nagai, Y. 2001. Cloning and characterization of a novel serine/threonine protein kinase gene expressed predominantly in developing brain. *Eur. J. Biochem.* 268: 2642-2651.
3. Kühlenbäumer, G., Young, P., Oberwittler, C., Hünemund, G., Schirmacher, A., Domschke, K., Ringelstein, B. and Stögbauer, F. 2002. Giant axonal neuropathy (GAN): case report and two novel mutations in the gigaxonin gene. *Neurology* 58: 1273-1276.
4. Cho, J.H. 2004. Advances in the genetics of inflammatory bowel disease. *Curr. Gastroenterol. Rep.* 6: 467-473.
5. Mathew, C.G. and Lewis, C.M. 2004. Genetics of inflammatory bowel disease: progress and prospects. *Hum. Mol. Genet.* 13: R161-R168.
6. Linkermann, A., Gelhaus, C., Lettau, M., Qian, J., Kabelitz, D. and Janssen, O. 2009. Identification of interaction partners for individual SH3 domains of Fas ligand associated members of the PCH protein family in T lymphocytes. *Biochim. Biophys. Acta* 1794: 168-176.
7. Trynka, G., Zernakova, A., Romanos, J., Franke, L., Hunt, K.A., Turner, G., Bruinenberg, M., Heap, G.A., Platteel, M., Ryan, A.W., de Kovel, C., Holmes, G.K., Howdle, P.D., Walters, J.R., Sanders, D.S., Mulder, C.J., Mearin, M.L., Verbeek, W.H., Trimble, V., et al. 2009. Coeliac disease-associated risk variants in TNFAIP3 and REL implicate altered NF κ B signalling. *Gut* 58: 1078-1083.

STORAGE

Store at -20° C. Repeated freezing and thawing should be minimized. Sample vial should be boiled once prior to use. Non-hazardous. No MSDS required.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.

CHROMOSOMAL LOCATION

Genetic locus: Sbk1 (mouse) mapping to 7 F3.

PRODUCT

SBK1 (m2): 293T Lysate represents a lysate of mouse SBK1 transfected 293T cells and is provided as 100 μ g protein in 200 μ l SDS-PAGE buffer.

APPLICATIONS

SBK1 (m2): 293T Lysate is suitable as a Western Blotting positive control for mouse reactive SBK1 antibodies. Recommended use: 10-20 μ l per lane.

Control 293T Lysate: sc-117752 is available as a Western Blotting negative control lysate derived from non-transfected 293T cells.

RESEARCH USE

For research use only, not for use in diagnostic procedures.