

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



# Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

# SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



# Sodium chlorite: sc-215867



# MATERIAL SAFETY DATA SHEET

The Power to Question

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifiers** 

**Product Name:** Sodium chlorite **Product Number:** sc-215867

Supplier: Santa Cruz Biotechnology, Inc.

2145 Delaware Avenue Santa Cruz, CA 95060

800.457.3801 or 831.457.3800

ChemWatch **Emergency:** 

Within the US & Canada: 877-715-9305

Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573

# 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 2), H272 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 2), H330 Acute toxicity, Dermal (Category 2), H310 Skin corrosion (Category 1B), H314 Skill collosion (Category 15), 11314
Serious eye damage (Category 1), H318
Acute aquatic toxicity (Category 1), H400
Chronic aquatic toxicity (Category 1), H410
For the full text of the H-Statements mentioned in this Section, see Section 16.

### GHS Label elements, including precautionary statements 2.2

Pictogram



Signal word	Danger
Hazard etatement/e)	

H272 May intensify fire; oxidizer. H301 Toxic if swallowed. Fatal in contact with skin or if inhaled H310 + H330 H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat. P220 P221 Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P262 Do not get in eyes, on skin, or on clothing.

P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284

Wear respiratory protection.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/ P301 + P310

physician.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P301 + P330 + P331

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P310

P320 Specific treatment is urgent (see supplemental first aid instructions on

P361 Remove/Take off immediately all contaminated clothing.

Wash contaminated clothing before reuse. P363

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates very toxic gas.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances** 3.1

Formula: NaClO2 Molecular Weight: 90.44 g/mol CAS-No.: 7758-19-2

Ox. Sol. 2; Acute Tox. 3; Acute Tox. 2; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H301, H310 + H330, H314, H410 Eye Irrit. 2A; H319 1 - 5 % Classification:

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

# Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eve contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eves during transport to hospital.

# lf swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media

Dry powder

### 5.2 Special hazards arising from the substance or mixture

no data available

#### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 **Further information**

no data available

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures 6.1

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section

#### **Environmental precautions** 6.2

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up 6.3

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Do not flush with water.

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition. For precautions see section 2.2. Conditions for safe storage, including any incompatibilities

### 7.2

Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage. Do not store near acids. Keep in a dry place at room temperature.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

# Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 **Exposure controls**

# Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Škin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

information on basic physical and chemical properties			
Form	powder	Odor	no data
Oxidizing properties	no data	Odor Threshold	no data
Melting/freezing point range	-93 °C - lit.	Initial boiling point/boiling range	97 °C - lit.
Flash point	6.00 °C - closed cup	Evaporation rate	no data
Flammability (solid, gas)	no data	Lower explosion limit	7% (V)
Vapor pressure	no data	Vapor density	no data
Relative density	0.842 g/mL at 25 °C	Water solubility	no data
Auto-ignition temperature	no data	Decomposition temperature	no data
Viscosity	no data	Explosive properties	no data
ph	10.0 - 11.0 at 100 g/L	Partition coefficient:	no data
•	at 20°C	noctanol/water	

#### 9.2 Other safety information

no data available

# 10. STABILITY AND REACTIVITY

# Reactivity

no data available

### **Chemical stability** 10.2

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

no data available

### Incompatible materials

Strong reducing agents, Powdered metals, Phosphorus, Sulphur compounds, Zinc, Ammonia, Organic materials, acids, amines

# 10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

**Acute toxicity** 

LD50 Oral - rat - 200 - 500 mg/kg (Sodium chlorite) LC50 Inhalation - rat - 4 h - 230 mg/m3 (Sodium chlorite) LD50 Dermal - rabbit - > 50 - 400 mg/kg (Sodium chlorité)

### Skin corrosion/irritation

Skin - rabbit Result: Corrosive

# Serious eye damage/eye irritation

Eyes - rabbit (Sodium chlorite) Result: Severe eye irritation - 24 h
Respiratory or skin sensitization no data available (Sodium chlorite)

Germ cell mutagenicity

no data available (Sodium chlorite)

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. (Sodium chlorite)

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Sodium chlorite)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

no data available (Sodium chlorite)

Specific target organ toxicity - single exposure

no data available (Sodium chlorite)

Specific target organ toxicity - repeated exposure

no data available **Aspiration hazard** 

no data available (Sodium chlorite)

**Additional Information** RTECS: VZ4800000

# 12. ECOLOGICAL INFORMATION

# **Toxicity**

Toxicity to fish LC50 - Cyprinodon variegatus (sheepshead minnow) - 75 mg/l - 96 h (Sodium chlorite) Toxicity to daphnia and other aquatic invertebrates - EC50 - Daphnia magna (Water flea) - 0.29 mg/l - 48 h

# (Sodium chlorite) 12.2 Persistence and degradability

no data available

# 12.3 Bioaccumulative potential

no data available

# Mobility in soil

no data available (Sodium chlorite)

# Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life. Avoid release to the environment.

### 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as

this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN nùmber: 1496 Class: 5.1 Packing group: II

Proper shipping name: Sodium chlorite Reportable Quantity (RQ):

Marine pollutant: No Poison Inhalation Hazard: No

**IMDG** 

Packing group: II EMS-No: F-H, S-Q

UN number: 1496 Class: 5.1 Proper shipping name: SODIUM CHLORITE

Marine pollutant: No

IATA

UN number: 1496 Class: 5.1 Packing group: II

Proper shipping name: Sodium chlorite

# 15. REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

**SARA 313 Components** 

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard **Massachusetts Right To Know Components** 

Sodium chlorite CAS-No. 7758-19-2

Pennsylvania Right To Know Components

CAS-No. 7758-19-2 Sodium chlorite

**New Jersey Right To Know Components** 

Sodium chlorite CAS-No. 7758-19-2 CAS-No. 497-19-8 Sodium carbonate

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute toxicity Acute Tox.

Aquatic Acute Acute aquatic toxicity Chronic aquatic toxicity Serious eye damage Aquatic Chronic Eye Dam.

Eye irritation

Eye Irrit. H272 May intensify fire; oxidizer. H301 Toxic if swallowed. Fatal in contact with skin. H310

Fatal in contact with skin or if inhaled H310 + H330 Causes severe skin burns and eye damage. H314

Causes serious eye damage. H318 H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**HMIS Rating** 

Health hazard: 3 Chronic Health Hazard: Flammability: 0 Physical Hazard: 2 **NFPA** Rating

Health hazard: 3 Õ Fire Hazard:

Reactivity Hazard: 2
Special hazard.l: OX
The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.

8/12/2014