

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



# Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

# SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

# Bis (cyclopentadienyl) tungsten (IV) dihydride: MINGEN sc-227386



### MATERIAL SAFETY DATA SHEET

The Power to Question

### 1 Identification of substance:

Product Name: Bis(cyclopentadienyl)tungsten(IV) dihydride

Catalog Number: sc-227386

Supplier: Santa Cruz Biotechnology, Inc.

2145 Delaware Avenue

Santa Cruz, California 95060 800.457.3801 or 831.457.3800

Emergency: ChemWatch

Within the US & Canada: 877-715-9305 Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

## 2 Hazard(s) identification

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS02 Flame

Flam. Sol. 2 H228 Flammable solid.

Water-react. 3 H261 In contact with water releases flammable gas.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. H335 May cause respiratory irritation.

# Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Flammable. Reacts violently with water.

Information concerning particular hazards for human and environment: Not applicable Hazards not otherwise classified Reacts violently with water.

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms





GHS02

GHS07

### Signal word Warning

# Hazard statements

H228 Flammable solid.

H261 In contact with water releases flammable gas.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P241 Use explosion-proof electrical/ventilating/lighting/equipment. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

## WHMIS classification

B4 - Flammable solid

B6 - Reactive flammable material

D2B - Toxic material causing other toxic effects



# Classification system HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)



Health (acute effects) = 1 Flammability = 2 Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

## 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

1271-33-6 Bis(cyclopentadienyl)tungsten dihydride

### 4 First-aid measures

# Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

### Extinguishing media

Suitable extinguishing agents

In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

For safety reasons unsuitable extinguishing agents Water

Special hazards arising from the substance or mixture

Reacts violently with water

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

# 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Methods and material for containment and cleaning up: Keep away from ignition sources. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges.

# Conditions for safe storage, including any incompatibilities

Storage Store at room temperature.

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from air.

Store away from water/moisture.

# Further information about storage conditions:

Store under dry inert gas.

This product is moisture sensitive.

This product is air sensitive.

Protect from humidity and water. Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

# Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

# Control parameters

Components with limit values that require monitoring at the workplace:

```
Tungsten and compounds (as W)
                     mg/m3
ACGIH TLV
                      5; 10-STEL (metal)
                      1; 3-STEL (soluble compounds)
                      5; 10-STEL (insoluble compounds)
                      1 (soluble compounds)
Belgium TWA
                      5; 10-STEL (insoluble compounds)
Finland TWA
                      5 (metal)
                      1 (soluble compounds)
                      5 (insoluble compounds)
Netherlands MAC-TGG
                      5 (metal)
                      1 (soluble compounds)
                      5 (insoluble compounds)
Poland TWA
                      5 (metal)
                      1 (soluble compounds)
                      5 (insoluble compounds)
Sweden NGV
                      5 (metal)
                      1 (soluble compounds)
                      5 (insoluble compounds)
```

United Kingdom TWA 5; 10-STEL (metal)

1; 3-STEL (soluble compounds)
5; 10-STEL (insoluble compounds)

MSHA TWA 1 (soluble compounds) 5 (insoluble compounds)

## 1271-33-6 Bis(cyclopentadienyl)tungsten dihydride (100.0%)

TLV (USA) Short-term value: 10 mg/m³ Long-term value: 5 mg/m³

as W

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

Eye protection:

Safety glasses

Full face protection

Body protection: Protective work clothing.

# 9 Physical and chemical properties

Appearance:	
Form:	Crystalline
Formula:	C10H12W
Weight:	316.04
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	>350 °C (>662 °F)
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flash point:	Not applicable
Flammability (solid, gaseous)	Flammable.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density:	Not determined
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Reacts violently
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

## 10 Stability and reactivity

Reactivity Reacts violently with water.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts violently with water

Incompatible materials:

Air

Oxidizing agents

Water/moisture

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Metal oxide fume

## 11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye irritation.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Tungsten compounds may be irritating to the eyes and respiratory tract. Chronic exposure may result in permanent lung damage.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

### 12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

Other adverse effects No further relevant information available.

# 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

UN-Number

DOT, ADR, IMDG, IATA

UN proper shipping name DOT	Organometallic substance, solid, water-reactive, flammable (Bis(cyclopentadienyl)tungsten
ADR	dihydride) 3396 Organometallic substance, solid, water- reactive, flammable (Bis(cyclopentadienyl) tungsten dihydride)
IMDG, IATA	ORGANOMETALLIC SUBSTANCE, SOLID, WATER- REACTIVE, FLAMMABLE (Bis(cyclopentadienyl)tungsten dihydride)
Transport hazard class(es)	
DOT	
Class	4.3 Substances which, in contact with water, emit flammable gases.
Label ADR	4.3+4.1
Class	4.3 (WF2) Substances which, in contact with water, emit flammable qases
Label IMDG, IATA	4.3+4.1
Class	4.3 Substances which, in contact with water, emit flammable gases.
Label	4.3+4.1
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Substances which, in contact with water, emit flammable gases
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>x II of</b> Not applicable.

# 15 Regulatory information

Marine Pollutant (DOT):

UN "Model Regulation":

Transport/Additional information:

Safety, health and environmental regulations/legislation specific for the substance or mixture

No

UN3396, Organometallic substance, solid, water-reactive, flammable (Bis(cyclopentadienyl) tungsten dihydride), 4.3 (4.1), III

## National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

Some or all of the components of this product are not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

REACH - Pre-registered substances Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information:

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.

3/26/2014