



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Boron trifluoride-methanol-complex solution: sc-234204



The Power to Question

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Boron trifluoride-methanol-complex solution

Product Number: sc-234204

CAS#: 2802-68-8

Supplier: Santa Cruz Biotechnology, Inc.
2145 Delaware Avenue
Santa Cruz, CA 95060
800.457.3801 or 831.457.3800

Emergency: ChemWatch
Within the US & Canada: 877-715-9305
Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid, target Organ Effect, toxic by inhalation, toxic by ingestion, toxic by skin absorption, corrosive.

Target Organs

Eyes, Kidney, Liver, Heart, Central nervous system, Bone, Lungs, Blood, Teeth.

GHS Classification

Flammable liquids (Category 2)

Acute toxicity, Oral (Category 3)

Acute toxicity, Inhalation (Category 3)

Acute toxicity, Dermal (Category 3)

Skin corrosion (Category 1A)

Serious eye damage (Category 1)

Specific target organ toxicity - single exposure (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H225

Highly flammable liquid and vapor.

H301 + H311

Toxic if swallowed or in contact with skin.

H314

Causes severe skin burns and eye damage.

H331

Toxic if inhaled.

H370

Causes damage to organs.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces- No smoking.

P260

Do not breathe dust/fume/gas/mist/vapors/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/physician.

HMIS Classification

Health hazard: 3

Chronic Health Hazard: *

Flammability: 3

Physical hazards: 0
NFPA Rating
Health hazard: 4
Fire: 3
Reactivity Hazard: 0

Potential Health Effects

Inhalation Toxic if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Skin Toxic if absorbed through skin. Causes skin burns.
Eyes Causes eye burns. Causes severe eye burns.
Ingestion Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula: BF₃·2CH₃OH
Molecular Weight: 131.89

<i>CAS-No.</i>	<i>EC-No.</i>	<i>Index-No.</i>	<i>Concentration</i>
Boron trifluoride 7637-07-2	231-569-5	005-001-00-X	>= 13 - <= 15 %
Methanol 67-56-1	200-659-6	603-001-00-X	>= 85 - <= 87 %

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Dry powder

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen fluoride, Borane/ boron oxides.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in

container for disposal according to local regulations (see section 13). Do not flush with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Never allow product to get in contact with water during storage. Desiccated at room temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption			
		STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption			
		TWA	200 ppm 260 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
	Skin notation			
		STEL	250 ppm 325 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
	Skin notation			
		TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	The value in mg/m3 is approximate.			
		TWA	200 ppm 260 mg/m3	USA. NIOSH Recommended Exposure Limits
	Potential for dermal absorption			
		ST	250 ppm 325 mg/m3	USA. NIOSH Recommended Exposure Limits
	Potential for dermal absorption			
Boron trifluoride	7637-07-2	C	1 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Lower Respiratory Tract irritation Pneumonitis			
		C	1 ppm 3 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		C	1 ppm 3 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone air samples.			
		C	1 ppm 3 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	2.5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z2
	Z37.28-1969			

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Liquid	Density	0.859 g/cm ³
pH	no data available	Relative vapor density	no data available
Melting point/freezing point	no data available	Odor	no data available
Boiling point	no data available	Odor Threshold	no data available
Flash point	16 °C - closed cup	Evaporation rate	no data available
Autoignition temperature	no data available	Vapor pressure	no data available
Lower explosion limit	no data available	Water solubility	no data available
Upper explosion limit	no data available	Ignition temperature	no data available
Partition coefficient: n-octanol/water	no data available		

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapors may form explosive mixture with air. Reacts violently with water.

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight. Exposure to moisture.

Materials to avoid

Acids, Oxidizing agents, Alkali metals, Acid chlorides, Acid anhydrides, Reducing agents, Boron trifluoride reacts vigorously with alkyl nitrates after an induction period up to several hours. Reacts with alkali or alkaline earth metals. Do not use mercury manometers as boron trifluoride is soluble in mercury.

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen fluoride, Borane/ boron oxides

Other decomposition products

no data available.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 no data available

Inhalation LC50 no data available

Dermal LD50 no data available

Other information on acute toxicity no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes: no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential Health Effects

Inhalation Toxic if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Skin Toxic if absorbed through skin. Causes skin burns.

Eyes Causes eye burns. Causes severe eye burns.

Ingestion Toxic if swallowed.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea.

Synergistic effects

no data available

Additional Information

RTECS: Not available

12. ECOLOGICAL INFORMATION**Toxicity**

no data available

Bioaccumulative potential

no data available

PBT and vPvB assessment

no data available

Persistence and degradability

no data available

Mobility in soil

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS**Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3286 Class: 3 (6.1, 8) Packing group: II
Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s. (Boron trifluoride, Methanol)
Marine pollutant: No Poison
Inhalation Hazard: No

IMDG

UN number: 3286 Class: 3 (6.1, 8) Packing group: II EMS-No: F-E, S-C
Proper shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Methanol, Boron trifluoride)
Marine pollutant: No

IATA

UN number: 3286 Class: 3 (6.1, 8) Packing group: II
Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s. (Methanol, Boron trifluoride)

15. REGULATORY INFORMATION

OSHA Hazards

Flammable liquid, Target Organ Effect, Toxic by inhalation, Toxic by ingestion, Toxic by skin absorption, Corrosive

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:
Boron trifluoride CAS-No. 7637-07-2

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313: CAS-No.
Methanol CAS-No. 67-56-1
Boron trifluoride CAS-No. 7637-07-2

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard.

Massachusetts Right To Know Components

Methanol CAS-No. 67-56-1
Boron trifluoride CAS-No. 7637-07-2

Pennsylvania Right To Know Components

Methanol CAS-No. 67-56-1
Boron trifluoride CAS-No. 7637-07-2

New Jersey Right To Know Components

Methanol CAS-No. 67-56-1
Boron trifluoride CAS-No. 7637-07-2

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.

10/19/2011