



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# Sucrose acetate isobutyrate solution: sc-251077



The Power to Question

## MATERIAL SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sucrose acetate isobutyrate solution

**Product Number:** sc-251077

**Supplier:** Santa Cruz Biotechnology, Inc.  
2145 Delaware Avenue  
Santa Cruz, CA 95060  
800.457.3801 or 831.457.3800

**Emergency:** ChemWatch  
Within the US & Canada: 877-715-9305  
Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

#### OSHA Hazards

Flammable liquid, Target Organ Effect, Irritant, Carcinogen

#### Target Organs

Nerves, Liver, Heart

#### GHS Classification

Flammable liquids (Category 2)

Skin irritation (Category 3)

Acute aquatic toxicity (Category 3)

#### GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
<b>Hazard statement(s)</b>	
H225	Highly flammable liquid and vapor.
H316	Causes mild skin irritation.
H402	Harmful to aquatic life.
<b>Precautionary statement(s)</b>	
P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
<b>HMIS Classification</b>	
<b>Health hazard:</b>	2
<b>Chronic Health Hazard:</b>	*
<b>Flammability:</b>	3
<b>Physical hazards:</b>	0
<b>NFPA Rating</b>	
<b>Health hazard:</b>	2
<b>Fire:</b>	3
<b>Reactivity Hazard:</b>	0
<b>Potential Health Effects</b>	
<b>Inhalation</b>	May be harmful if inhaled. Causes respiratory tract irritation.
<b>Skin</b>	May be harmful if absorbed through skin. Causes skin irritation.
<b>Eyes</b>	Causes eye irritation.
<b>Ingestion</b>	May be harmful if swallowed.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms :** SAIB-90  
**CAS-No.:** 126-13-6  
**Formula :** C40H62O19  
**Molecular Weight :** 846.91 g/mol

Component	Classification	Concentration
<b>Ethanol</b>		
CAS-No. 64-17-5 EC-No. 200-578-6 Index-No. 603-002-00-5	Flam. Liq. 2; H225	5 - 10 %
<b>4-Methylpentan-2-one</b>		
CAS-No. 108-10-1 EC-No. 203-550-1 Index-No. 606-004-00-4	Flam. Liq. 2; Acute Tox. 4; Eye Irrit. 2; STOT SE 3; H225, H319, H332, H335, EUH066	0.1 - 1 %

### 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. FIREFIGHTING MEASURES

#### Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### Hazardous combustion products

Hazardous decomposition products formed under fire conditions - Carbon oxides

#### Further information

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid inhalation of vapor or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Ethanol	64-17-5	TWA	1,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Upper Respiratory Tract irritation Confirmed animal carcinogen with unknown relevance to humans			
		TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in mg/m <sup>3</sup> is approximate.				
		TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
4-Methylpentan-2-one	108-10-1	TWA	50 ppm 205 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		STEL	75 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Upper Respiratory Tract irritation Headache Dizziness 2010 Adoption Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans			
		TWA	50 ppm 205 mg/m <sup>3</sup>	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	75 ppm 300 mg/m <sup>3</sup>	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	100 ppm 410 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in mg/m <sup>3</sup> is approximate.				
		TWA	20 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Upper Respiratory Tract irritation Headache Dizziness 2010 Adoption Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with			

### Personal protective equipment

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin and body protection**

Impervious clothing., Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

Form	liquid	pH	no data available
Melting point/freezing point	no data available	Boiling point	105 °C
Flash point	15.9 °C closed cup	Ignition temperature	no data available
Auto-ignition temperature	no data available	Lower explosion limit	no data available
Upper explosion limit	no data available	Vapor pressure	no data available
Density	1.100 g/cm <sup>3</sup>	Water solubility	no data available
Relative vapor density	no data available	Odor	no data available
Odor Threshold	no data available	Evaporation rate	no data available
Partition coefficient: n-octanol/water	no data available		

## **10. STABILITY AND REACTIVITY**

### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of hazardous reactions**

Vapors may form explosive mixture with air.

### **Conditions to avoid**

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### **Materials to avoid**

Strong bases, Acids, Oxidizing agents, Alkali metals, Strong oxidizing agents, Ammonia, Acid chlorides, Acid anhydrides, Reducing agents, Peroxides

### **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions - Carbon oxides

### **Other decomposition products**

no data available

## **11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

**Oral LD50** no data available

**Inhalation LC50** no data available

**Dermal LD50** no data available

**Other information on acute toxicity** no data available

### **Skin corrosion/irritation**

no data available

### **Serious eye damage/eye irritation**

Eyes: no data available

### **Respiratory or skin sensitization**

no data available

### **Germ cell mutagenicity**

no data available

### **Carcinogenicity**

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### **Reproductive toxicity**

no data available

### **Teratogenicity**

no data available

### **Specific target organ toxicity - single exposure (Globally Harmonized System)**

no data available

### **Specific target organ toxicity - repeated exposure (Globally Harmonized System)**

no data available

### **Aspiration hazard**

no data available

### **Potential health effects**

<b>Inhalation</b>	May be harmful if inhaled. Causes respiratory tract irritation.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Skin</b>	May be harmful if absorbed through skin. Causes skin irritation.
<b>Eyes</b>	Causes eye irritation.

### **Signs and Symptoms of Exposure**

Central nervous system depression, narcosis, Nausea, Dizziness, Headache, Gastrointestinal disturbance, May cause convulsions, Damage to the heart, anemia, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **Synergistic effects**

no data available

### **Additional Information**

**RTECS:** Not available

## **12. ECOLOGICAL INFORMATION**

### **Toxicity**

no data available

### **Bioaccumulative potential**

no data available

### **PBT and vPvB assessment**

no data available

### **Persistence and degradability**

no data available

### **Mobility in soil**

no data available

### **Other adverse effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

## **13. DISPOSAL CONSIDERATIONS**

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### **Contaminated packaging**

Dispose of as unused product.

