

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



Copper(II) chloride:sc-252631



MATERIAL SAFETY DATA SHEET

The Power to Questio

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Copper(II) chloride

Product Number: sc-252631

Supplier: Santa Cruz Biotechnology, Inc.

2145 Delaware Avenue Santa Cruz, CA 95060 800.457.3801 or 831.457.3800

Emergency: ChemWatch

Within the US & Canada: 877-715-9305

Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

2. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: Copper dichloride, Cupric chloride

Formula: CuCl2 Molecular Weight: 134.45 g/mol

 CAS-No.
 EC-No.
 Index-No.
 Concentration

 Copper(II) chloride
 7447–39–4
 231–210–2

3. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Harmful by ingestion., Irritant

Target Organs

Liver, Kidney, Brain., Cardiovascular system.

HMIS Classification

Health Hazard: 2
Chronic Health Hazard: *
Flammability: 0
Physical hazards: 0

NFPA Rating

Health Hazard: 2
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.Skin: May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation. **Ingestion:** Harmful if swallowed.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point not applicable Ignition temperature no data available

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

The product itself does not burn.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods for cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

Storage

Keep container tightly closed in a dry and well-ventilated place. hygroscopic Store under inert gas.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form solid pH no data available
Melting point 620 °C (1,148 °F) Boiling point no data available
Flash point not applicable Ignition temperature no data available

Lower explosion limit no data available Upper explosion limit no data available

Water solubility no data available Density 3.386 g/cm3 at 20 °C (68 °F)

10. STABILITY AND REACTIVITY

Storage stability

Stable under recommended storage conditions.

Materials to avoid

Strong bases, Alkali metals

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Copper oxides, Hydrogen chloride gas

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral – rat – 584 mg/kg LD50 Intravenous – rat – 5 mg/kg LD50 Intraperitoneal – rat – 14.7 mg/kg

Irritation and corrosion

no data available

Sensitisation

no data available

Chronic exposure

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Signs and Symptoms of Exposure

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., Gastrointestinal disturbance, Lowered blood pressure, Depending on the intensity and duration of exposure, effects may vary from mild irritation to severe destruction of tissue.

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.

Skin: May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation. **Ingestion:** Harmful if swallowed.

Target Organs: Liver, Kidney, Brain., Cardiovascular system.

Additional Information RTECS: GL7000000

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

no data available **Ecotoxicity effects**

Toxicity to fish mortality LC50 – *Cyprinus carpio* (Carp) – 0.12 – 0.23 mg/l – 96 h

Toxicity to algae EC50 – *Chlorella vulgaris* (Fresh water algae) – 0.2 mg/l – 96 h

Toxicity to *daphnia* Immobilization EC50 – *Daphnia magna* (Water flea) – 0.04 mg/l – 48 h

and other aquatic invertebrates.

Further information on ecology

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 2802 Class: 8 Packing group: III

Proper shipping name: Copper chloride Marine pollutant: Severe marine pollutant

Poison Inhalation Hazard: No

IMDG

UN-Number: 2802 Class: 8 Packing group: III EMS-No: F-A, S-B

Proper shipping name: COPPER CHLORIDE Marine pollutant: Severe marine pollutant

ATA

UN-Number: 2802 Class: 8 Packing group: III

Proper shipping name: Copper chloride

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect, Harmful by ingestion., Irritant

TSCA Status

On TSCA Inventory

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 ComponentsCapper dichloride
CAS-No.
Revision Date
1991–07–01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date Copper dichloride 7447–39–4 1991–07–01

Pennsylvania Right To Know Components

CAS-No. Revision Date Copper dichloride 7447–39–4 1991–07–01

New Jersey Right To Know Components

CAS-No. Revision Date Copper dichloride 7447–39–4 1991–07–01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.