



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Nickel(II) tetrafluoroborate hexahydrate: sc-263945



The Power to Question

MATERIAL SAFETY DATA SHEET

1 Identification of substance:

Product Name: Nickel(II) tetrafluoroborate hexahydrate
Catalog Number: sc-263945
Supplier: Santa Cruz Biotechnology, Inc.
2145 Delaware Avenue
Santa Cruz, California 95060
800.457.3801 or 831.457.3800
Emergency: ChemWatch
Within the US & Canada: 877-715-9305
Outside the US & Canada: +800 2436 2255
(1-800-CHEMCALL) or call +613 9573 3112

2 Hazards identification

Classification of the substance or mixture



GHS08 Health hazard

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.



GHS09 Environment

H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.



GHS07

H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R49-61-48/23: May cause cancer by inhalation. May cause harm to the unborn child. Toxic: danger of serious damage to health by prolonged exposure through inhalation.



Xn; Harmful

R68: Possible risk of irreversible effects.



Xi; Irritant

R42/43: May cause sensitization by inhalation and skin contact.



N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Label elements

Labelling according to EU guidelines:

Code letter and hazard designation of product:

T Toxic

N Dangerous for the environment

Risk phrases:

- 49 May cause cancer by inhalation.
 61 May cause harm to the unborn child
 42/43 May cause sensitization by inhalation and skin contact.
 48/23 Also toxic: danger of serious damage to health by prolonged exposure through inhalation.
 68 Possible risk of irreversible effects.
 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

- 53 Avoid exposure - obtain special instructions before use.
 45 In case of accident or if you feel unwell, seek medical advice immediately.
 60 This material and its container must be disposed of as hazardous waste.
 61 Avoid release to the environment. Refer to special instructions/Safety data sheets

Hazard description:**WHMIS classification****Classification system****HMIS ratings (scale 0-4)**

(Hazardous Materials Identification System)

HEALTH	2
FIRE	0
REACTIVITY	1

Health (acute effects) = 2

Flammability = 0

Reactivity = 1

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**3 Composition/information on ingredients****Chemical characterization: Substances****(CAS#) Description:**

Nickel(II) tetrafluoroborate hexahydrate (CAS# 15684-36-3)

Identification number(s):**EINECS Number:** 238-753-4**Index number:** 028-019-00-X**4 First aid measures****Description of first aid measures****After inhalation**

Supply fresh air and to be sure call for a doctor.

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

Rub in calcium gluconate solution or calcium gluconate gel immediately.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.**5 Firefighting measures****Extinguishing media****Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Boron oxide

Toxic metal oxide fume

Hydrogen fluoride (HF)

Advice for firefighters**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Precautions for safe handling**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities**Storage**

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed. Store at room temperature.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls/personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Fluorides (as F)

	mg/m ³
ACGIH TLV	2.5
Austria MAK	2.5
Belgium TWA	2.5
Finland TWA	2.5
France TWA	2.5
Germany MAK	2.5
Hungary TWA	1; 2-STEL
Netherlands MAC-K	3.5
Norway TWA	0.6
Poland TWA	1; 3-STEL
Sweden NGV	2
Switzerland MAK-W	1.5; 3-KZG-W
United Kingdom TWA	2.5
Russia TWA	2
Denmark TWA	2.5
USA PEL	2.5

Nickel and inorganic compounds, as Ni

	mg/m ³
ACGIH TLV	1.5, A5-inhalable particulate (metal) 0.2, A1-inhalable particulate (insoluble compounds) 0.1, A4-inhalable particulate (soluble compounds)
Austria	Carcinogen
Denmark TWA	0.5
Finland TWA	0.1 (skin) Carcinogen
France VME	1; C3-Carcinogen
Germany	Carcinogen
Hungary	0.005-STEL; Carcinogen (insoluble compounds)
Japan	1; 2B-Carcinogen
Korea TLV	1.5
Netherlands MAC-TGG	1; Carcinogen 1 (insoluble compounds)
Norway TWA	0.05
Poland TWA	0.25
Russia	0.05-STEL
Sweden NGV	0.5 (dust)
Switzerland MAK-W	0.5; Carcinogen
United Kingdom TWA	0.1
USA PEL	1

Additional information: No data

Exposure controls**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands: Impervious gloves

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties	
General Information	
Appearance:	
Form:	Crystalline
Formula:	Ni(BF ₄) ₂ • 6H ₂ O
Weight:	340.39
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flash point:	Not applicable
Flammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density at 20°C (68 °F):	1.5 g/cm ³ (12.518 lbs/gal)
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Soluble
Segregation coefficient (n-octanol/water): Not determined.	
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity**Reactivity****Chemical stability****Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Contact with strong acids releases hydrogen fluoride

Incompatible materials:

Acids

Bases

Hazardous decomposition products:

Hydrogen fluoride

Metal oxide fume

Boron oxide

Toxic metal oxide fume

11 Toxicological information**Information on toxicological effects****Acute toxicity:**

LD/LC50 values that are relevant for classification:		
Oral	LDLo	500 mg/kg (rat)
Inhalative	LCLo/10M	530 mg/m ³ (mouse)

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Subacute to chronic toxicity:

Nickel and nickel compounds may cause a form of dermatitis known as nickel itch. They may also cause intestinal disorders, convulsions and asphyxia. Airborne nickel contaminated dusts are regarded as carcinogenic to the respiratory tract.

Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.

Subacute to chronic toxicity:

Boron affects the central nervous system. Boron poisoning causes depression of the circulation, persistent vomiting and diarrhea, followed by profound shock and coma. The temperature may become subnormal and a scarletina form rash may cover the entire body.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

May cause harm to the unborn child.

NTP-1: Known to be carcinogenic: sufficient evidence from human studies.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Very toxic for aquatic organisms

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Do not allow material to be released to the environment without proper governmental permits.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.


Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

DOT regulations:



Hazard class:

9

Identification number:

UN3077

Packing group:

III

Proper shipping name (technical name): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Nickel(II) tetrafluoroborate)


Label

9

Remarks:


Special marking with the symbol (fish and tree).

Land transport ADR/RID (cross-border)




ADR/RID class: 9 (M7) Miscellaneous dangerous substances and articles
Danger code (Kemler): 90
UN-Number: 3077
Packaging group: III
Special marking: Symbol (fish and tree)
UN proper shipping name: 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel(II) tetrafluoroborate)

Maritime transport IMDG:



IMDG Class: 9
UN Number: 3077
Label: 9
Packaging group: III
EMS Number: F-A,S-F
Marine pollutant: Yes (P)
Symbol (fish and tree)
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel(II) tetrafluoroborate)

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: 9
UN/ID Number: 3077
Label: 9
Special marking: Symbol (fish and tree)
Packaging group: III
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel(II) tetrafluoroborate)

UN "Model Regulation": UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
Special precautions for user Warning: Miscellaneous dangerous substances and articles
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Product related hazard informations:

Hazard symbols:

T Toxic

N Dangerous for the environment

Risk phrases:

49 May cause cancer by inhalation.

61 May cause harm to the unborn child

42/43 May cause sensitization by inhalation and skin contact.

48/23 Also toxic: danger of serious damage to health by prolonged exposure through inhalation.

68 Possible risk of irreversible effects.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

53 Avoid exposure - obtain special instructions before use.

45 In case of accident or if you feel unwell, seek medical advice immediately.

60 This material and its container must be disposed of as hazardous waste.

61 Avoid release to the environment. Refer to special instructions/Safety data sheets

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

This product contains a chemical known to the state of California to cause cancer or reproductive toxicity.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

Information about limitation of use:

For use only by technically qualified individuals.

This product contains nickel and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know act of 1986 and 40CFR372.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information:

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.

4/16/2013