



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Magnesium hexafluorosilicate hexahydrate: sc-269355



The Power to Question

MATERIAL SAFETY DATA SHEET

1 Identification of substance:

Product Name: Magnesium hexafluorosilicate hexahydrate

Catalog Number: sc-269355

Supplier: Santa Cruz Biotechnology, Inc.
2145 Delaware Avenue
Santa Cruz, California 95060
800.457.3801 or 831.457.3800

Emergency: ChemWatch
Within the US & Canada: 877-715-9305
Outside the US & Canada: +800 2436 2255
(1-800-CHEMCALL) or call +613 9573 3112

2 Hazards identification

Classification of the substance or mixture



GHS06 Skull and crossbones

H301 Toxic if swallowed.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R25: Toxic if swallowed.

Label elements

Labelling according to EU guidelines:

Code letter and hazard designation of product:

T Toxic

Risk phrases:

25 Toxic if swallowed.

Safety phrases:

24/25 Avoid contact with skin and eyes.

45 In case of accident or if you feel unwell, seek medical advice immediately.

Hazard description:

WHMIS classification



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

| | | |
|------------|---|----------------------------|
| HEALTH | 3 | Health (acute effects) = 3 |
| FIRE | 0 | Flammability = 0 |
| REACTIVITY | 0 | Reactivity = 0 |

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

(CAS#) Description:

Magnesium hexafluorosilicate, hexahydrate

(CAS# 18972-56-0): 100%

Identification number(s):

EINECS Number: 241-022-2

Index number: 009-018-00-3

4 First aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

Rub in calcium gluconate solution or calcium gluconate gel immediately.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

5 Firefighting measures

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Hydrogen fluoride (HF)

Metal oxide fume

Silicon oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from water/moisture.

Do not store together with acids.

Further information about storage conditions:

Keep container tightly sealed. **Store at room temperature.**

Store in cool, dry conditions in well sealed containers.

8 Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

| | |
|--------------------|--------------|
| Fluorides (as F) | mg/m3 |
| ACGIH TLV | 2.5 |
| Austria MAK | 2.5 |
| Belgium TWA | 2.5 |
| Finland TWA | 2.5 |
| France TWA | 2.5 |
| Germany MAK | 2.5 |
| Hungary TWA | 1; 2-STEL |
| Netherlands MAC-K | 3.5 |
| Norway TWA | 0.6 |
| Poland TWA | 1; 3-STEL |
| Sweden NGV | 2 |
| Switzerland MAK-W | 1.5; 3-KZG-W |
| United Kingdom TWA | 2.5 |
| Russia TWA | 2 |
| Denmark TWA | 2.5 |
| USA PEL | 2.5 |

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands: Impervious gloves

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties

| | |
|--|---|
| Information on basic physical and chemical properties | |
| General Information | |
| Appearance: | |
| Form: | Crystalline |
| Formula: | MgSiF6·6H2O |
| Weight: | 274.47 |
| Odor: | Odorless |
| Odour threshold: | Not determined. |
| pH-value: | Not applicable. |
| Change in condition | |
| Melting point/Melting range: | Not determined |
| Boiling point/Boiling range: | Not determined |
| Sublimation temperature / start: | Not determined |
| Flash point: | Not applicable |
| Flammability (solid, gaseous) | Not determined. |
| Ignition temperature: | Not determined |
| Decomposition temperature: | Not determined |
| Auto igniting: | Not determined. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined |
| Upper: | Not determined |
| Vapor pressure: | Not applicable. |
| Density: | Not determined |
| Relative density | Not determined. |
| Vapour density | Not applicable. |
| Evaporation rate | Not applicable. |
| Solubility in / Miscibility with | |
| Water: | Soluble |
| Segregation coefficient (n-octanol/water): | Not determined. |
| Viscosity: | |
| dynamic: | Not applicable. |
| kinematic: | Not applicable. |
| Other information | No further relevant information available. |

10 Stability and reactivity

Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Incompatible materials:

Water/moisture

Acids

Hazardous decomposition products:

Hydrogen fluoride

Metal oxide fume

Silicon oxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Subacute to chronic toxicity:

Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.

Inorganic silicon compounds may be acute inhalation irritants. Prolonged inhalation may cause pulmonary fibrosis known as silicosis.

Inhalation of magnesium compounds may cause metal fume fever. Metallic magnesium which perforates the skin may cause local lesions. Some magnesium salts have produced muscle weakness, cardiac arrhythmias, respiratory effects and changes in blood chemistry following ingestion.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information

Toxicity

Acquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

DOT regulations:



Hazard class: 6.1
Identification number: UN2853
Packing group: III
Proper shipping name (technical name): MAGNESIUM FLUOROSILICATE
Label: 6.1

Land transport ADR/RID (cross-border)



ADR/RID class: 6.1 (T5) Toxic substances
Danger code (Kemler): 60
UN-Number: 2853
Packaging group: III
UN proper shipping name: 2853 MAGNESIUM FLUOROSILICATE

Maritime transport IMDG:



IMDG Class: 6.1
UN Number: 2853
Label: 6.1
Packaging group: III
Marine pollutant: No
Proper shipping name: MAGNESIUM FLUOROSILICATE

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: 6.1
UN/ID Number: 2853
Label: 6.1
Packaging group: III
Proper shipping name: MAGNESIUM FLUOROSILICATE

UN "Model Regulation": UN2853, MAGNESIUM FLUOROSILICATE, 6.1, III

Special precautions for user Warning: Toxic substances

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Product related hazard informations:

Hazard symbols:

T Toxic

Risk phrases:

25 Toxic if swallowed.

Safety phrases:

24/25 Avoid contact with skin and eyes.

45 In case of accident or if you feel unwell, seek medical advice immediately.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

Some or all of the components of this product are not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

Information about limitation of use: For use only by technically qualified individuals.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information:

The above information is believed to be correct but does not purport to be complete and should be used only as a guide. The burden of safe use of this material rests entirely with the user.

4/22/2013