



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



## m-IgG $\lambda$ BP-B: sc-516197

### BACKGROUND

Mouse IgG $\lambda$  light chain binding protein is a strongly recommended alternative to conventional anti-mouse IgG secondary antibodies for immunohistochemical (IHC) signal enhancement. Mouse IgG $\lambda$  light chain binding protein is a highly specific detection reagent that provides strong signal with minimal background and virtually complete elimination of lot-to-lot variation associated with conventionally generated secondary antibodies. Mouse IgG $\lambda$  light chain binding protein (m-IgG $\lambda$  BP) conjugated to biotin (B) is suitable for binding to mouse IgG $\lambda$  light chain immunoglobulins; not suitable for use with mouse monoclonal IgG $\kappa$  light chain primary antibodies. Biotin is a small vitamin that the molecules Avidin and Streptavidin have a very high affinity for binding. Biotin conjugates are used for Avidin-Biotin Complex (ABC) and Labeled-Streptavidin Biotin (LSAB) methods for signal amplification in immunohistochemistry applications.

### SOURCE

m-IgG $\lambda$  BP-B is a purified recombinant mouse IgG $\lambda$  light chain binding protein conjugated to biotin (B).

### PRODUCT

Each vial contains 200  $\mu$ g mouse IgG $\lambda$  binding protein-B in 0.5 ml of PBS containing 1% stabilizer protein and 0.02% sodium azide.

### APPLICATIONS

m-IgG $\lambda$  BP-B is recommended for detection of mouse IgG $\lambda$  light chain by immunohistochemistry (starting dilution: 1:50, dilution range 1:50-1:200). Optimal dilution to be determined by titration.

### RECOMMENDED SUPPORT PRODUCTS

- CrystalCruz™ Cover Glasses, 22 x 50 mm, precleaned: sc-24975
- PBS (Phosphate Buffered Saline), powder, 1 packet: sc-24947
- Formaldehyde, 37% formaldehyde solution, 25 ml: sc-203049
- Hydrogen Peroxide, 30% solution, 100 ml: sc-203336
- Organo/Limonene Mount, non-toxic alternative to Permount, 100 ml: sc-45087
- UltraCruz® Mounting Medium, aqueous-based, 10 ml: sc-24941
- ImmunoHistoMount, aqueous-based mounting medium, 30 ml: sc-45086
- Immuno In Situ Mount, for use with *in situ* hybridization, 30 ml: sc-45088
- Paraffin, for the preparation of tissue samples for staining, 500 g: sc-286633
- Xylenes, mixed isomers with ethylbenzene, 500 ml: sc-237422
- Hematoxylin, Gill's Formulation #2; nuclear counter stain, 100 ml: sc-24973

### STORAGE

Store at 4° C, **\*\*DO NOT FREEZE\*\***. Stable for one year from the date of shipment. Non-hazardous. No MSDS required.

### RESEARCH USE

For research use only, not for use in diagnostic procedures.

### PROTOCOLS

See our web site at [www.scbt.com](http://www.scbt.com) or our catalog for detailed protocols and support products.