



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien


T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



SEBOX siRNA (m): sc-153293

BACKGROUND

SEBOX is a 216 amino acid protein that belongs to the paired homeobox family. The human SEBOX protein contains a central homeodomain and shares 63% amino acid identity with mouse Sebox. Homeodomain proteins, such as SEBOX, play a key role in coordinating gene expression during development. Localizing to nucleus, SEBOX is a probable transcription factor involved in the control of specification of mesoderm and endoderm. SEBOX is the only member of the Sebox gene family in the human genome. Compared with mouse Sebox, the human protein has substitutions at the normally invariant residues Asn 51 and Arg 53, suggesting it may be nonfunctional. Sebox expression has been detected in adult mouse brain, skin, ovary and liver. Containing three exons, the SEBOX gene is conserved in canine, bovine, mouse, rat and zebrafish, and maps to human chromosome 17q11.2.

REFERENCES

1. Rovescalli, A.C., Asoh, S. and Nirenberg, M. 1996. Cloning and characterization of four murine homeobox genes. *Proc. Natl. Acad. Sci. USA* 93: 10691-10696.
2. Cinquanta, M., Rovescalli, A.C., Kozak, C.A. and Nirenberg, M. 2000. Mouse Sebox homeobox gene expression in skin, brain, oocytes, and two-cell embryos. *Proc. Natl. Acad. Sci. USA* 97: 8904-8909.
3. Poulain, M. and Lepage, T. 2002. Mezzo, a paired-like homeobox protein is an immediate target of Nodal signalling and regulates endoderm specification in zebrafish. *Development* 129: 4901-4914.
4. Suzumori, N., Yan, C., Matzuk, M.M. and Rajkovic, A. 2002. Nobox is a homeobox-encoding gene preferentially expressed in primordial and growing oocytes. *Mech. Dev.* 111: 137-141.
5. Holland, P.W., Booth, H.A. and Bruford, E.A. 2007. Classification and nomenclature of all human homeobox genes. *BMC Biol.* 5: 47.
6. Online Mendelian Inheritance in Man, OMIM™. 2007. Johns Hopkins University, Baltimore, MD. MIM Number: 610975. World Wide Web URL: <http://www.ncbi.nlm.nih.gov/omim/>
7. Kim, K.H., Kim, E.Y. and Lee, K.A. 2008. SEBOX is essential for early embryogenesis at the two-cell stage in the mouse. *Biol. Reprod.* 79: 1192-1201.

CHROMOSOMAL LOCATION

Genetic locus: Sebox (mouse) mapping to 11 B5.

PRODUCT

SEBOX siRNA (m) is a pool of 3 target-specific 19-25 nt siRNAs designed to knock down gene expression. Each vial contains 3.3 nmol of lyophilized siRNA, sufficient for a 10 μ M solution once resuspended using protocol below. Suitable for 50-100 transfections. Also see SEBOX shRNA Plasmid (m): sc-153293-SH and SEBOX shRNA (m) Lentiviral Particles: sc-153293-V as alternate gene silencing products.

For independent verification of SEBOX (m) gene silencing results, we also provide the individual siRNA duplex components. Each is available as 3.3 nmol of lyophilized siRNA. These include: sc-153293A, sc-153293B and sc-153293C.

STORAGE AND RESUSPENSION

Store lyophilized siRNA duplex at -20° C with desiccant. Stable for at least one year from the date of shipment. Once resuspended, store at -20° C, avoid contact with RNAses and repeated freeze thaw cycles.

Resuspend lyophilized siRNA duplex in 330 μ l of the RNase-free water provided. Resuspension of the siRNA duplex in 330 μ l of RNase-free water makes a 10 μ M solution in a 10 μ M Tris-HCl, pH 8.0, 20 mM NaCl, 1 mM EDTA buffered solution.

APPLICATIONS

SEBOX siRNA (m) is recommended for the inhibition of SEBOX expression in mouse cells.

SUPPORT REAGENTS

For optimal siRNA transfection efficiency, Santa Cruz Biotechnology's siRNA Transfection Reagent: sc-29528 (0.3 ml), siRNA Transfection Medium: sc-36868 (20 ml) and siRNA Dilution Buffer: sc-29527 (1.5 ml) are recommended. Control siRNAs or Fluorescein Conjugated Control siRNAs are available as 10 μ M in 66 μ l. Each contain a scrambled sequence that will not lead to the specific degradation of any known cellular mRNA. Fluorescein Conjugated Control siRNAs include: sc-36869, sc-44239, sc-44240 and sc-44241. Control siRNAs include: sc-37007, sc-44230, sc-44231, sc-44232, sc-44233, sc-44234, sc-44235, sc-44236, sc-44237 and sc-44238.

RT-PCR REAGENTS

Semi-quantitative RT-PCR may be performed to monitor SEBOX gene expression knockdown using RT-PCR Primer: SEBOX (m)-PR: sc-153293-PR (20 μ l). Annealing temperature for the primers should be 55-60° C and the extension temperature should be 68-72° C.

RESEARCH USE

For research use only, not for use in diagnostic procedures.

PROTOCOLS

See our web site at www.scbt.com for detailed protocols and support products.