



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-CA-125, clone OC125

Clone no. OC125

MONOSAN Ready To Use

Product name	Mouse anti-CA-125, clone OC125
Host	Mouse
Applications	IHC-P
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG1
Clonality	Monoclonal
Clone number	OC125
Size	7 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CA-125, clone OC125

Clone no. OC125

MONOSAN Ready To Use

Additional info

The antibody reacts with epithelioid malignancies of the ovary, papillary serous carcinoma of the cervix, adenocarcinoma of the endometrium, clear cell adenocarcinoma of the bladder, and epithelioid mesothelioma. The antigen is formalin resistant, permitting the detection of ovarian cancer by immunohistochemistry, although serum assays for this protein are widely used to monitor ovarian cancer. MON 3211 also reacts with antigens in seminal vesicle carcinoma.

References

1. Kabawat S, et al. Int J Gynecol Pathol. 1983; 2:275-285
2. Davis H, et al. Cancer Res. 1986; 46:6143-6148
3. Zhou C, et al. Am J Surg Pathol. 1998; 22:113- 20
4. Mylonas I, et al. Anticancer Res. 2003; 23:1075-80
5. Fukazawa I, et al. Arch Gynecol Obstet. 1988; 243:41-50

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES