



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-CD10, clone 56C6

Clone no. 56C6

MONOSAN Ready To Use

Product name	Mouse anti-CD10, clone 56C6
Host	Mouse
Applications	IHC-P
Species reactivity	human
Conjugate	-
Immunogen	Recombinant protein encoding external domain of human CD10
Isotype	IgG1
Clonality	Monoclonal
Clone number	56C6
Size	7 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD10, clone 56C6

Clone no. 56C6

MONOSAN Ready To Use

Additional info

Common acute lymphoblastic leukemia antigen (CALLA / CD10) is a useful marker for the characterization of childhood leukemia and B cell lymphomas. This antibody reacts with antigen of lymphoblastic, Burkitt's, and follicular lymphomas; and chronic myelocytic leukemia. Also, Anti-CD10 detects the antigen of glomerular epithelial cells and the brush border of the proximal tubules; this characteristic may be helpful in interpreting renal ontogenesis in conjunction with other markers. Other non-lymphoid cells that are reactive with CD10 are breast myoepithelial cells, bile canaliculi, neutrophils and small population of bone marrow cells, fetal small intestine epithelium, and normal fibroblasts.

References

1. Maguer-Satta V, et al.. Stem Cells. 2011; 29:389-96
2. Laurent C, et al. 2010; 95: 356-8
3. Onak NK, et al.. Turk J Med Sci. 2010; 40:177-84
4. Chu P, et al. Am J Clin Pathol. 2000; 113: 374-82
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES