



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-CD15, clone MMA

Clone no. MMA

MONOSAN Ready To Use

---

Product name	Mouse anti-CD15, clone MMA
Host	Mouse
Applications	IHC-P
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgM
Clonality	Monoclonal
Clone number	MMA
Size	7 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

## Mouse anti-CD15, clone MMA

Clone no. MMA

MONOSAN Ready To Use

**Additional info**

CD15 is a carbohydrate antigen with the common trisaccharide structure 3-fucosyl-N-acetylactosamine, also known as Lewis x (Lex) or stage-specific embryonic antigen 1 (SSEA-1).1-3 CD15 is expressed in myeloid cells and mediates neutrophil adhesion to dendritic cells.2-3 CD15 is also expressed in Reed-Sternberg cells and is thus a useful marker for identifying Hodgkin's lymphoma.

**References**

1. Pellegrini W, et al. Haematologica. 2007; 92:708-9
2. Stocks SC, et al. Biochem J. 1990; 268: 275-80
3. Gadhoun SZ, et al. Nat Chem Biol. 2008; 4:751-7
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES