



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Mouse anti-Cytokeratin 20, clone Ks20.8

Clone no. Ks20.8

MONOSAN Ready To Use

---

Product name	Mouse anti-Cytokeratin 20, clone Ks20.8
Host	Mouse
Applications	IHC-P
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG2a-k
Clonality	Monoclonal
Clone number	Ks20.8
Size	7 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Cytokeratin 20, clone Ks20.8

Clone no. Ks20.8

MONOSAN Ready To Use

---

**Additional info**

Cytokeratin 20 is a 46-kDa intermediate filament protein which reacts primarily with gastric and intestinal epithelium, urothelium, and Merkel cells.<sup>1-4</sup> Anti-Cytokeratin 20 is useful in the identification of specific types of these epithelial cells under normal hyperplastic and neoplastic conditions.<sup>3</sup> Cytokeratin 20 has been detected in adenocarcinomas of the colon, stomach and biliary tract.<sup>5-7</sup> Merkel cell carcinomas have shown reactivity. In contrast, carcinomas of the breast are generally non-reactive.

**References**

1. Moll R, et al. Cell. 1982; 31:11-24
2. Han AC et al. Cancer. 1999; 86:2327-30
3. Tot T. Cancer 1999; 85:171-7
4. Lau SK, et al. Hum Pathol. 2002; 33:1175-81
5. Rullier A et al. Am J Surg Pathol. 2000; 24:870-6

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**