



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-D2-40: Podoplanin, clone D2-40

Clone no. D2-40

MONOSAN Ready To Use

Product name	Mouse anti-D2-40: Podoplanin, clone D2-40
Host	Mouse
Applications	IHC-P
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG1-k
Clonality	Monoclonal
Clone number	D2-40
Size	7 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-D2-40: Podoplanin, clone D2-40

Clone no. D2-40

MONOSAN Ready To Use

Additional info

Podoplanin is a transmembrane mucoprotein (38 kD) recognized by the D2-40 monoclonal antibody. Podoplanin is selectively expressed in lymphatic endothelium as well as lymphangiomas, and Kaposi sarcomas. Podoplanin has also been shown to be expressed in epithelioid mesotheliomas and seminomas.

References

1. Ordóñez NG. Adv Anat Pathol. 2006; 13:83-8
2. Niakosari F, et al. Arch Dermatol. 2005; 141:440-4
3. - Kahn HJ, et al. Mod Pathol. 2002; 15:434-40
4. Fukunaga M. Histopathology. 2005; 46:396-402
5. Fogt F, et al. Oncol Rep. 2004; 11:47-50

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES