



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-TAG-72, clone B72.3

Clone no. B72.3

MONOSAN Ready To Use

Product name	Mouse anti-TAG-72, clone B72.3
Host	Mouse
Applications	IHC-P
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG1-k
Clonality	Monoclonal
Clone number	B72.3
Size	7 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-TAG-72, clone B72.3

Clone no. B72.3

MONOSAN Ready To Use

Additional info

Tumor associated glycoprotein (TAG)-72 is a high molecular weight glycoprotein that is present on the surface of many neoplastic cells, including adenocarcinomas of the breast, colon, and lung. TAG-72 is found in lung adenocarcinoma and is absent in mesothelioma, making the TAG-72 antibody useful in distinguishing adenocarcinoma from mesothelioma.

References

1. Thor, A, et al. Cancer Res 1986;46:3118
2. Schlom J, et al. Tumormarker Oncology;1987;2:3
3. Osteen KG et al. In J Gynecol Pathol. 1992 Jul;11(3):216-20
4. Ordonez NG. Am J Surg Pathol. 1998 Oct;22(10):1203-14
5. Chhieng DC et al. Hum Pathol. 2003 Oct;34(10):1016-21

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES