



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Human GCDFP-15 + Mammaglobin Cocktail, clone 23A3+(304-1A5+31A5)

Clone no. 23A3+(304-

MONOSAN Ready To Use

Product name	Mouse anti-Human GCDFP-15 + Mammaglobin Cocktail, clone 23A3+(304-1A5+31A5)
Host	Mouse/Rabbit
Applications	IHC-P
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG2a/IgG1/IgG
Clonality	Monoclonal
Clone number	23A3+(304-1A5+31A5)
Size	7 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Human GCDFP-15 + Mammaglobin Cocktail, clone 23A3+(304-1A5+31A5)

Clone no. 23A3+(304-1A5+31A5)

MONOSAN Ready To Use

Additional info

Anti-GCDFP-15, mouse monoclonal (23A3), and anti-mammaglobin, mouse monoclonal (304-1A5) and rabbit monoclonal (31A5), is an antibody cocktail. GCDFP-15 is a 15 kDa glycoprotein which is localized in the apocrine metaplastic epithelium lining breast cysts and in apocrine glands in the axilla, vulva, eyelid, and ear canal. Mammaglobin (10 kDa) is a breast-associated glycoprotein distantly related to the secretoglobulin family that includes human uteroglobin and lipophilin. This antibody cocktail is useful in identifying breast carcinoma.

References

1. Cohen, C et al. Arch Pathol Lab Med. 1993; 117:291-4
2. Bhargava R, et al. Am J Clin Pathol. 2007; 127:103-13
3. Takeda Y, et al. Arch Pathol Lab Med. 2008; 132:239-43
4. Tornos C, et al. Am J Surg Pathol. 2005; 29:1482-9
5. Liegl, B et al. Histopathology. 2007; 50:439-47

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES