



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product datasheet

MON-RTU1265

**MONOSAN**<sup>®</sup>

Rabbit anti-Factor XIIIa, clone EP3372

Clone no. EP3372

MONOSAN Ready To Use

---

Product name	Rabbit anti-Factor XIIIa, clone EP3372
Host	Rabbit
Applications	IHC-P
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG
Clonality	Monoclonal
Clone number	EP3372
Size	7 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Rabbit anti-Factor XIIIa, clone EP3372

Clone no. EP3372

MONOSAN Ready To Use

---

**Additional info**

Factor XIIIa has been identified in platelets, megakaryocytes, and fibroblast-like mesenchymal or histiocytic cells in the placenta, uterus, and prostate, monocytes and macrophages and dermal dendritic cells. Anti-Factor XIIIa has been found to be useful in differentiating between dermatofibroma (almost all cases +), dermatofibrosarcoma protuberans (-/+) and desmoplastic malignant melanoma. Anti-factor XIIIa positivity is also seen in capillary hemangioblastoma, hemangioendothelioma, hemangiopericytoma, xanthogranuloma, xanthoma, hepatocellular carcinoma, glomus tumor, and meningioma.

**References**

1. Nemes Z, Hum Pathol 1992 Jul; 23(7):805-10
2. Horenstein MG et al. Am J Surg Pathol. 2000 Jul;24(7):996-1003
3. Kraus MD et al. Am J Dermatopathol. 2001 Apr;23(2):104-11
4. Abenzoa P, et al. Am J Dermatopathol. 1993; 15:429-34
5. Anstey A, Cerio R, et al.: Am J Dermatopathol 1994 Feb: 16(1):14-22

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**