



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Cytokeratin 5&6 + TTF-1, clones D5/16B4 & 8G7G3/1

Clone no. D5/16B4 &

MONOSAN Ready To Use

Product name	Mouse anti-Cytokeratin 5&6 + TTF-1, clones D5/16B4 & 8G7G3/1
Host	Mouse
Applications	IHC-P
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG1/IgG1/IgG1
Clonality	Monoclonal
Clone number	D5/16B4 & 8G7G3/1
Size	7 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Cytokeratin 5&6 + TTF-1, clones D5/16B4 & 8G7G3/1

Clone no. D5/16B4 & 8G7G3/1

MONOSAN Ready To Use

Additional info

Anti-Cytokeratin 5 & 6 is a marker for epithelioid mesotheliomas. Anti-Cytokeratin 5 & 6 stains the cytoplasm of such cells. Anti-TTF-1 stains the nuclei in the case of lung adenocarcinomas and is negative in nearly all mesotheliomas. The nuclear vs. cytoplasmic staining pattern of this cocktail can be useful in distinguishing between mesothelioma and adenocarcinoma of the lung.

References

1. Ordóñez NG. Am J Surg Pathol. 1998; 22:1215-21
2. Jang KY, et al. Anal Quant Cytol Histol; 2001; 23:400-4
3. Srodon M, et al. Hum Pathol. 2002; 33:642-5
4. Abutaily AS, et al. J Clin Pathol. 2002; 55:662-8
5. Bejarano PA, et al. Arch Pathol Lab Med. 2003; 127:193-5

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES