



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Mouse anti-CD1b, clone RIV12 (Monoclonal)

Clone no. RIV12

MONOSAN

---

Product name	Mouse anti-CD1b, clone RIV12 (Monoclonal)
Host	Mouse
Applications	FC, IHC-fr, IP, IF, ELISA
Species reactivity	human
Conjugate	-
Immunogen	human peripheral lymphocytes
Isotype	IgG1,kappa
Clonality	Monoclonal
Clone number	RIV12
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD1b, clone RIV12 (Monoclonal)

Clone no. RIV12

MONOSAN

**Additional info**

RIV12 reacts with CD1b, a 44KDa type 1 glycoprotein associated with beta2-microglobulin. It is expressed on dendritic cells, Langerhans cells, thymocytes and T acute lymphoblastic leukemia cells. CD1, type 1 membrane protein, has structural similarity to the MHC class 1 molecule and has been shown to present lipid antigens for recognition by T lymphocytes. CD1b is also expressed in Langerhans interdigitating cells.

**References**

1. -
2. -
3. -
4. -
5. -

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**