



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product datasheet MON10352

**MONOSAN**<sup>®</sup>

Mouse anti-Human Tenascin, clone T2H5 (Monoclonal)

Clone no. T2H5

MONOSAN

---

Product name	Mouse anti-Human Tenascin, clone T2H5 (Monoclonal)
Host	Mouse
Applications	IHC-fr, ELISA, IP, IHC-P, WB
Species reactivity	human
Conjugate	-
Immunogen	Purified protein from human mammary tumour
Isotype	IgG1
Clonality	Monoclonal
Clone number	T2H5
Size	0.2 mg
Concentration	IgG 1 mg/ml
Format	Purified
Storage buffer	PBS with <0.1% sodium azide
Storage until expiry date	aliquots -20°C. Thawed 2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

## Mouse anti-Human Tenascin, clone T2H5 (Monoclonal)

Clone no. T2H5

MONOSAN

**Additional info**

Mouse anti Human Tenascin antibody, clone T2H5 recognizes tenascin in both normal and hyperproliferative (also neoplastic) tissues. Tenascin has been implicated in the guidance of migrating neurons and axons during development and neuronal regeneration. It promotes cortical neuron outgrowths and is an important component of the wound matrix and scar formation.

**References**

1. Verstraeten AA et al. Br J Dermatol 1992; 127: 571-4
2. Le Poole IC et al. Br J Dermatol 1997; 137: 171-8
3. Milz S et al. J Anat 2007; 211: 1-7
4. Nakamura Y et al. J Immunol 2004; 172: 1945-52
5. Milz S et al. Invest Ophthalmol Vis Sci 2002; 43: 1330-4

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**