



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-CD81, clone 1.3.3.22 (Monoclonal)

Clone no. 1.3.3.22

MONOSAN

| | |
|---------------------------|--|
| Product name | Mouse anti-CD81, clone 1.3.3.22 (Monoclonal) |
| Host | Mouse |
| Applications | FC, IHC-fr, IHC-P, IF, WB |
| Species reactivity | human, mouse, rat |
| Conjugate | - |
| Immunogen | B-cell line derived from a Burkitt lymphoma |
| Isotype | IgG1 |
| Clonality | Monoclonal |
| Clone number | 1.3.3.22 |
| Size | 100 ug |
| Concentration | 100 ug/ml |
| Format | - |
| Storage buffer | PBS with 0.02% sodium azide |
| Storage until expiry date | 2-8°C |

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD81, clone 1.3.3.22 (Monoclonal)

Clone no. 1.3.3.22

MONOSAN

Additional info

1.3.3.22 Reacts with human CD81 (TAPA-1), a 24 kDa member of the TM4 superfamily of proteins with four transmembrane domains. MAbs to CD81 have been shown to have anti-proliferative effects on different lymphoid cell lines, particularly those derived from large cell lymphomas. CD81 can associate with CD37 and/or CD53, or on the surface

References

1. Kishimoto T. et al., eds. Leukocyte Typing VI, Garland Publishing, (1997)
2. -
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES