



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-CD100, clone 133.1G6 (Monoclonal)

Clone no. 133-1G6

MONOSAN

Product name	Mouse anti-CD100, clone 133.1G6 (Monoclonal)
Host	Mouse
Applications	FC, IHC-fr
Species reactivity	human, cow, baboon
Conjugate	-
Immunogen	PHA stimulated PBL
Isotype	IgM
Clonality	Monoclonal
Clone number	133-1G6
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD100, clone 133.1G6 (Monoclonal)

Clone no. 133-1G6

MONOSAN

Additional info

133-1G6 reacts with human CD100, a 100 kDa homodimer cell-surface antigen that is expressed on resting and PHA-stimulated T cells. It is absent from bone marrow, erythrocytes, eosinophils and endothelial cells. The protein is weakly expressed on NK cells, EBV transformed B cells, monocytes and tumor T cell lines. It plays a role in homotypic cell adhesion and in T cell activation.

References

1. Knapp, W. et. al. (eds), Leucocyte Typing IV, Oxford Univ. Press, pp 193-196 (1996)
2. Kishimoto T et al. (eds) Leukocyte Typing VI, Garland Publishing, New York, (1994)
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES