



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Myeloid cells, clone BM-1 (Monoclonal)

Clone no. BM-1

MONOSAN

Product name	Mouse anti-Myeloid cells, clone BM-1 (Monoclonal)
Host	Mouse
Applications	IHC-fr, IHC-P
Species reactivity	human
Conjugate	-
Immunogen	nuclei from Pokeweed mitogen stimulated human peripheral blood lymphocytes
Isotype	IgG1
Clonality	Monoclonal
Clone number	BM-1
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Myeloid cells, clone BM-1 (Monoclonal)

Clone no. BM-1

MONOSAN

Additional info

BM-1 is reactive in B5 fixed, paraffin embedded tissue sections to human myeloid cells and derived malignancies. The antibody reacts with a 183 kDa cytoplasmic antigen with DNA binding characteristics which is expressed in most myeloid precursor cells and myeloid leukemias. BM-1 is positive on myeloid precursors in bone marrow but lymph nodes are negative. Tissue granulocytes are positive as well as scattered cells in peripheral cortex and interlobular septae of adult and fetal thymus. Portal regions of fetal liver (18 weeks) are also positive

References

1. Epstein, AL et al. Blood 70:1124-1130 (1987)
2. -
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES