



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-beta-Catenin, clone 9F2 (Monoclonal)

Clone no. 9F2

MONOSAN

Product name	Mouse anti-beta-Catenin, clone 9F2 (Monoclonal)
Host	Mouse
Applications	FC,IF,IP,WB
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG1
Clonality	Monoclonal
Clone number	9F2
Size	1 ml
Concentration	100 ug/ ml
Format	-
Storage buffer	PBS with 0.1% BSA and 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-beta-Catenin, clone 9F2 (Monoclonal)

Clone no. 9F2

MONOSAN

Additional info

Beta-catenin belongs together with alpha- and gamma-catenin to the catenin family. Catenins mediate cell-cell adhesion by interaction with cadherins. Beta-catenin is highly homologous to gamma-catenin (plakoglobin) although its function differs from that of plakoglobin. Whereas plakoglobin has been found to suppress tumorigenicity, beta-catenin potentiates hyperproliferation and tumor formation. In the nucleus beta-catenin complexes with transcription factors and thus regulates the expression of specific genes. By its dual role, i.e. a structural role in cell-cell junctions and a regulatory role in the nucleus, beta-catenin can transduce changes in cell adhesion and junction formation to control transmembrane signalling and gene expression.

References

1. Johnson; K et al. Exp Cell Res 1993; 207: 252
2. Sacco, P et al J Biol Chem 1995, 270: 20201
3. Hakuno; M et al. Br J Dermatol 2000; 142: 702
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES