



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Cytokeratin 8&18, clone B22.1&B23.1 (Monoclonal)

Clone no. B22.1&B23

MONOSAN

Product name	Mouse anti-Cytokeratin 8&18, clone B22.1&B23.1 (Monoclonal)
Host	Mouse
Applications	IHC-P (1:100-1:500)
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG1
Clonality	Monoclonal
Clone number	B22.1&B23.1
Size	1 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Cytokeratin 8&18, clone B22.1&B23.1 (Monoclonal)

Clone no. B22.1&B23.1

MONOSAN

Additional info

Cytokeratins 8 &18 (CK 8 & 18) are expressed in most simple epithelia (e.g. thyroid, breast, gastrointestinal tract, and respiratory tract). Anti-CK 8 & 18 have been reported to stain most adenocarcinomas and squamous cell carcinomas, but not some well-differentiated squamous cell carcinomas. Cytokeratin 8 & 18 have been reported to be useful markers for identifying Paget cells, colorectal carcinoma metastases,⁵ and gastric cancer micro metastases.

References

1. Angus B, et al. J Pathol. 1987; 155:377-84
2. Corson, JM. Pathol Annu. 1986; 21:47-81
3. Moll R, et al. Histochem Cell Biol. 2008; 129:705-33
4. Liegl B, et al. Histopathology. 2007; 50:439-47
5. Ishii et al. J Exp Clin Cancer Res. 2008; 27:7

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES