



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Mouse anti-Melanoma-Associated Antigen, clone PNL2 (Monoclonal)

Clone no. PNL2

MONOSAN

---

Product name	Mouse anti-Melanoma-Associated Antigen, clone PNL2 (Monoclonal)
Host	Mouse
Applications	IHC-P (1:25-1:100)
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG1
Clonality	Monoclonal
Clone number	PNL2
Size	1 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Melanoma-Associated Antigen, clone PNL2 (Monoclonal)

Clone no. PNL2

MONOSAN

**Additional info**

The antibody is useful as an immunohistochemical reagent to stain melanocytes and tumors derived therefrom. Anti-PNL2 reactivity is identified in the cytoplasm of cutaneous and oral mucosal melanocytes. Anti-PNL2 labels intraepidermal nevi, while the dermal components of compound nevi are largely non-reactive.

**References**

1. Rochaix P, et al. Mod Pathol. 2003; 16:481-90
2. Klaus J, et al. Am J Surg Pathol. 2005; 29:400-6
3. Morris LG, et al. Head Neck. 2008; 30:771-5
4. Zhe X, et al. J Histo and Cyto. 2004; 52:1537-42
5. -

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**