



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Rat anti-CD195, clone HEK/1/85a (Monoclonal)

Clone no. HEK/1/85a

MONOSAN

---

|                           |  |
|---------------------------|--|
| Product name              | Rat anti-CD195, clone HEK/1/85a (Monoclonal) |
| Host                      | Rat  |
| Applications              | FC   |
| Species reactivity        | human  |
| Conjugate                 | Purified                                     |
| Immunogen                 | CHO cells transfected with human CCR5        |
| Isotype                   | IgG2a  |
| Clonality                 | Monoclonal                                   |
| Clone number              | HEK/1/85a                                    |
| Size                      | 0.1 mg                                       |
| Concentration             | 1.0 mg/ml                                    |
| Format                    | -  |
| Storage buffer            | PBS with 0.09% sodium azide                  |
| Storage until expiry date | 2-8°C  |

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Rat anti-CD195, clone HEK/1/85a (Monoclonal)

Clone no. HEK/1/85a

MONOSAN

**Additional info**

Rat anti Human CD195 antibody, clone HEK/1/85a recognizes the human CD195 cell surface antigen, a 45 kDa glycoprotein also known as CCR5. CD195 acts as a receptor for a number of chemokines including RANTES and eotaxin and serves as a co-receptor for the entry of HIV into cells. CD195 is expressed by a subset of T lymphocytes and by monocytes.

**References**

1. -
2. -
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES