



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Rat anti-Mouse Interleukin 6, clone MP5-32C11 (Monoclonal)

Clone no. MP5-

MONOSAN

---

Product name	Rat anti-Mouse Interleukin 6, clone MP5-32C11 (Monoclonal)
Host	Rat
Applications	FUNC, ELISA, IP. WB
Species reactivity	mouse
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG2a
Clonality	Monoclonal
Clone number	MP5-32C11
Size	1 ml
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.1% BSA and 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

## Rat anti-Mouse Interleukin 6, clone MP5-32C11 (Monoclonal)

Clone no. MP5-32C11

MONOSAN

**Additional info**

The antibody neutralizes mouse interleukin 6 (IL-6). It does not cross-react with LPS (the component of the bacterial cell wall which is considered responsible for the toxicity of gram-negative bacteria) and TNFalpha nor does it block human or rat IL-6 in proliferation assays using the KD83 cell line. MP5-32C11 inhibits mouse IL-6-induced proliferation of the NFS60 myelomonocytic cell line and KD83 plasmacytoma. IL-6 is a pluripotent 20-22 kDa cytokine which plays a role in the pathophysiology of severe infection and regulates the immune response, acute phase reaction and haematopoiesis. IL-6 plays a critical role in Bcell differentiation to plasma cells and is a potent growth factor for plasmacytoma and myeloma. Continuous IL-6 gene expression makes an essential contribution to a multistep oncogenesis of plasma cell neoplasia. IL-6 is a very useful culture supplement for the generation of a high number of antibodyproducing hybridomas.

**References**

1. Takatsuki et al. J Immunol 1988;141:3072
2. McKenzie et al. J Immunol 1988;141:2907
3. van Snick et al. Annu Rev Immunol 1990;8:253
4. Heinrich et al. Biochem J 1990;265:621
5. Starnes et al. J Immunol 1990;145:4185

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**