



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-MUC5AC, clone 9-13M1 (Monoclonal)

Clone no. 9-13M1

MONOSAN

---

Product name	Mouse anti-MUC5AC, clone 9-13M1 (Monoclonal)
Host	Mouse
Applications	ELISA, IHC-fr, IHC-P, WB
Species reactivity	human, mouse, monkey, cat, cow
Conjugate	-
Immunogen	mucin isolated from an ovarian cyst fluid
Isotype	IgG1
Clonality	Monoclonal
Clone number	9-13M1
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-MUC5AC, clone 9-13M1 (Monoclonal)

Clone no. 9-13M1

MONOSAN

---

**Additional info**

9-13M1 recognizes the peptide core of gastric mucin M1/MUC5AC), and more specifically with the 'd' epitope amongst the a, b, c, d, e, f, g and h protein core epitopes defined by Bara for M1. 9-13M1 and 2-11M1 react exclusively with epitopes located in the the Nterminal cysteine-rich part of the peptide core MUC5AC. MUC5AC is present in primary ovarian mucinous cancer and gastric cancer, but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Anti-MUC5AC may be useful for differential identification of primary mucinous ovarian tumors from colon adenocarcinoma metastatic to the ovary. MUC5AC antibodies may also be useful for identification pancreatic carcinoma and pre-cancerous changes vs. normal pancreas

**References**

1. Bara, J. et al., Cancer Res.46: 3983-3989 (1986)
2. Bara, J. et al., Biochem. J. 254: 185-193 (1988)
3. Bara, J. et al., Int. J. Cancer 47: 304-310 (1991)
4. Bara, J. et al., J. Immunol. Methods 149: 105-113 (1992)
5. Guyonnet Duperat V. et al., Biochem. J. 305: 211 219 (1995)

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**