



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Rat Tumor Antigens of Epithelial Origin, clone CC52 (Monoclonal)

Clone no. CC52

MONOSAN

---

Product name	Mouse anti-Rat Tumor Antigens of Epithelial Origin, clone CC52 (Monoclonal)
Host	Mouse
Applications	IHC-P, IHC-fr, FC, WB, IP, ELISA
Species reactivity	Rat
Conjugate	-
Immunogen	rat colon adenocarcinoma cells (CC531)
Isotype	IgG1
Clonality	Monoclonal
Clone number	CC52
Size	1 ml
Concentration	n/a
Format	-
Storage buffer	Culture supernatant with 0.05% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Rat Tumor Antigens of Epithelial Origin, clone CC52 (Monoclonal)

Clone no. CC52

MONOSAN

**Additional info**

v CC52 is a rat strain-independent marker for tumour cells of epithelial origin, such as colon, breast, or lung cancer, etc. When injected in colon tumour-bearing rats, CC52 localized to tumour cells (Hagenaars et al., 2001). The monoclonal antibody binds to a dimer of two proteins, 120 kD and 130 kD, expressed by rat tumour cells of epithelial origin.

**References**

1. Hagenaars M et al. Clin Exp Metastasis 2000;18:189-196
2. Hagenaars M et al. Clin Exp Metastasis 2001;18:281-289
3. -
4. -
5. -

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**