



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Melanoma Associated Antigen, clone NKI/M6 (Monoclonal)

Clone no. NKI/M6

MONOSAN

Product name	Mouse anti-Melanoma Associated Antigen, clone NKI/M6 (Monoclonal)
Host	Mouse
Applications	IHC-fr (1:10)
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG1
Clonality	Monoclonal
Clone number	NKI/M6
Size	1 ml
Concentration	n/a
Format	-
Storage buffer	PBS with 0.1% BSA and 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Melanoma Associated Antigen, clone NKI/M6 (Monoclonal)

Clone no. NKI/M6

MONOSAN

Additional info

This antibody recognizes a high molecular weight proteoglycan with a molecular weight of > 450 kD (chondroitin sulfate) and 250 kD (core protein). The antibody reacts strongly with melanoma cells derived from cell lines and short term cultures and reacts preferentially with melanoma cells in frozen tissue sections. The antibody can also be used to detect melanoma lesions in vivo. Crossreactivity: The antibody reacts with most naevi and perineurium, and shows weak reactivity with hair follicles.

References

1. De Vries et al. Int J Cancer 1986;38:465
2. Natali et al. Natl Cancer Inst 1981;67:591
3. Buraggi et al. Cancer Res 1985;45:3378
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES