



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-p53, clone Pab122 (Monoclonal)

Clone no. Pab122

MONOSAN

Product name	Mouse anti-p53, clone Pab122 (Monoclonal)
Host	Mouse
Applications	FC, IHC-fr, IF
Species reactivity	human, mouse, rat, dog, monkey
Conjugate	-
Immunogen	SV40 infected 3T3 cells, 3T3/SV40 clone 4 (B4)
Isotype	IgG2b
Clonality	Monoclonal
Clone number	Pab122
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-p53, clone Pab122 (Monoclonal)

Clone no. Pab122

MONOSAN

Additional info

PAb 122 binds to the C-terminus (aa370-378) of both wild type and mutated p53. When microinjected into nuclei, PAb 122 blocked re-entry into the S-phase of the cell cycle. Mutation and/or allelic loss of p53 is one of the causes of a variety of mesenchymal and epithelial tumors. p53 Localizes in the nucleus, but is detectable at the plasma membrane during mitosis and when certain mutations modulate cytoplasmic/nuclear distribution.

References

1. Gurney et al, J. Virol. 34(3): 752-763, (1980)
2. Tack et al, J. Virol. 58(2): 635-45, (1986)
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES