



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Rat anti-Mouse LBP, clone M330-19 (Monoclonal)

Clone no. M330-19

MONOSAN

---

Product name	Rat anti-Mouse LBP, clone M330-19 (Monoclonal)
Host	Rat
Applications	FUNC,ELISA
Species reactivity	mouse
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG2a
Clonality	Monoclonal
Clone number	M330-19
Size	1 ml
Concentration	100 ug/ ml
Format	-
Storage buffer	PBS with 0.1% BSA and 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Rat anti-Mouse LBP, clone M330-19 (Monoclonal)

Clone no. M330-19

MONOSAN

---

**Additional info**

The monoclonal antibody M330-19 reacts highly specific with mouse natural and recombinant LBP. The antibody is a type I antibody blocking the LPS binding to LBP. LPS binding protein (LBP) is an approximately 60 kDa acute phase protein that is produced by hepatocytes. This protein strongly binds to LPS and has been shown to play an important role in the handling of LPS by the host. A number of functions of LBP have been reported. First, LBP transfers LPS to the LPS receptor CD14 on mononuclear phagocytes, leading to an 100-1,000-fold increased sensitivity of the cells to LPS. Furthermore, LBP can enhance the response of CD14 negative cells by acceleration of LPS binding to soluble CD14, a complex that stimulates these cells. Next, LBP transfers LPS into High Density Lipoprotein (HDL), which effectively neutralizes its biological potency. LBP was demonstrated to protect mice from septic shock caused by LPS or gram negative bacteria.

**References**

1. Le Roy, D et al. J Immunol 1999; 162: 7454
2. Le Roy, D et al J Immunol 2001, 169: 2759
3. Heumann; D et al. Inf and Immun 2001; 69:378
4. -
5. -

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**