



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Mouse Epidermal Growth Factor, clone E5 (Monoclonal)

Clone no. E5

MONOSAN

| | |
|---------------------------|---|
| Product name | Mouse anti-Mouse Epidermal Growth Factor, clone E5 (Monoclonal) |
| Host | Mouse |
| Applications | IHC-P (1:5), IHC-fr (1:5), WB, ELISA |
| Species reactivity | human, mouse |
| Conjugate | - |
| Immunogen | EGF coupled to bovine serum albumin and to tetanus toxoid |
| Isotype | IgG1 |
| Clonality | Monoclonal |
| Clone number | E5 |
| Size | 1 ml |
| Concentration | 5 ug/ml |
| Format | - |
| Storage buffer | Culture medium with 0.01M Sodium Azide |
| Storage until expiry date | 2-8°C |

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Mouse Epidermal Growth Factor, clone E5 (Monoclonal)

Clone no. E5

MONOSAN

Additional info

The antibody reacts with mouse EGF in ELISA (10 ng detectable) and in spot blots (1 ng detectable). In immunohistochemistry the antibody reacts with mouse salivary glands. No crossreaction with rat EGF.

References

1. Beerstecher HJ et al. (1988) J Histochem Cytohistochem 36, 1153-1160
2. -
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES