



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-HCAM, CD44, clone DF 1485 (Monoclonal)

Clone no. DF1485

MONOSAN

Product name	Mouse anti-HCAM, CD44, clone DF 1485 (Monoclonal)
Host	Mouse
Applications	IHC-fr, IHC-P (1:5-1:10), FC, WB
Species reactivity	Human
Conjugate	-
Immunogen	CD44 antigen (PGp-1) purified from lymphocyte membrane
Isotype	IgG1
Clonality	Monoclonal
Clone number	DF1485
Size	1 ml
Concentration	n/a
Format	-
Storage buffer	Contains 0.09% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-HCAM, CD44, clone DF 1485 (Monoclonal)

Clone no. DF1485

MONOSAN

Additional info

CD44 (HCAM) is a transmembrane protein expressed by lymphocytes, erythrocytes and several normal epithelial cells and is a member of the CAM family. It is involved in lymphocyte homing, T-lymphocyte activation, interaction with hyaluronic acid and may act as an adhesion molecule. The human CD44 is composed of 19 exons, 9 variably expressed due to alternative splicing of mRNA; RT CD44 (CD44s) is composed of exons 1-5 and 15-19. The loss of CD44s expression predicts unfavorable outcome in bladder cancers, squamous cell carcinomas of the skin, prostatic adenocarcinoma and neuroblastomas. In immunoblotting the antibody reacts with a glycoprotein isolated from hematopoietic cells and epithelial cells with a respective molecular weight of 29-37 kD and 51 kD. Positive control: Tonsil (cell membrane staining).

References

1. -
2. -
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES