



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Blood Group A (CD173), clone HE-193 (monoclonal)

Clone no. HE-193

MONOSAN

Product name	Mouse anti-Blood Group A (CD173), clone HE-193 (monoclonal)
Host	Mouse
Applications	FC, IHC-fr, IHC-P, IF, FUNC
Species reactivity	human
Conjugate	-
Immunogen	mixture of erythrocytes of blood group A1 and a glycoprotein fraction isolated from the saliva of secretors with blood group A of human origin
Isotype	IgM-K
Clonality	Monoclonal
Clone number	HE-193
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Blood Group A (CD173), clone HE-193 (monoclonal)

Clone no. HE-193

MONOSAN

Additional info

HE-193 recognizes human blood group A (monofucosyl and difucosyl A antigens with chain types 1, 2, 3, 4, 5, 6,) and Forssmann antigen, which is normally not found in humans, but can appear on malignancies. De novo or increased expression of these antigens have been observed on some tumor tissues such as gastric carcinomas, urothelial carcinomas, and colon carcinomas. HE-193 does not react with normal tissue sections of donors with blood group B and 0 but it reacts specifically with malignant tissues in these individuals. HE-193 is applicable for red cell agglutination, tissue staining and immunofluorescence tests

References

1. Němec M. et al. Vox Sang 52:125-8 (1987)
2. -
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES