



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Mouse anti-Interferon a 1, clone 2-52 (Monoclonal)

Clone no. 2-52

MONOSAN

---

Product name	Mouse anti-Interferon a 1, clone 2-52 (Monoclonal)
Host	Mouse
Applications	ELISA, IHC-fr, WB
Species reactivity	human
Conjugate	-
Immunogen	E.coli derived recombinant human IFNa1
Isotype	IgG1-K
Clonality	Monoclonal
Clone number	2-52
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Interferon  $\alpha$  1, clone 2-52 (Monoclonal)

Clone no. 2-52

MONOSAN

**Additional info**

The alpha interferons are involved in virus resistance in target cells for these viruses. They are known to block cell proliferation and to regulate MHC class I antigen expression. The IFN $\alpha$  family has over 20 genes and pseudogenes in two families (I and II), one with a mature length of 166aa and one of 172aa. Cells producing IFN $\alpha$  are lymphocytes, monocytes, macrophages and cell lines such as Namalwa and KGI. Bioassays for IFN $\alpha$  include cytopathic effect blocking, by viruses such as VSV, SFV and BMCV, on their target cells. A number of receptors for IFN $\alpha$  are now known and seem to be expressed on most cell types. 2-52 is specific for human IFN $\alpha$ 1 and does not cross react with human IFN $\alpha$ 2.

**References**

1. Kontsek, P. et al., Mol Immunol. 29: 863-870 (1992)
2. -
3. -
4. -
5. -

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**