



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Mouse anti-Macrophage Marker, clone D11 (Monoclonal)

Clone no. D11

MONOSAN

---

|                           |  |
|---------------------------|--|
| Product name              | Mouse anti-Macrophage Marker, clone D11 (Monoclonal) |
| Host                      | Mouse  |
| Applications              | FC, IHC-fr, IHC-P, IF, WB                            |
| Species reactivity        | human  |
| Conjugate                 | -  |
| Immunogen                 | membrane preparation from human hepatocytes          |
| Isotype                   | IgG1-K   |
| Clonality                 | Monoclonal   |
| Clone number              | D11  |
| Size                      | 100 ug   |
| Concentration             | 100 ug/ml  |
| Format                    | -  |
| Storage buffer            | PBS with 0.02% sodium azide                          |
| Storage until expiry date | 2-8°C  |

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

## Mouse anti-Macrophage Marker, clone D11 (Monoclonal)

Clone no. D11

MONOSAN

**Additional info**

D11 reacts specifically with human monocytes and macrophages, in all sorts of tissues. The 125/135 kDa antigen is present on the cell membrane as well as within cytoplasmic structures including lysosomes, and is different from CD68. Among tumors, histiocytomas and histiocytic lymphomas are positive. In ALL, positive reaction with D11 indicates B-lineage derivation. AML are negative.

**References**

1. Rudinskaya T.D. et al. Immunol Lett. 33(1): 1-7 (1992)
2. Frenkel M.A. et al. Gematol Transfuziol. 40(4): 13-16 (1995)
3. Tupitsyn N.N et al., Int J Cancer. 68(2): 160-163 (1996)
4. Petrovichev N.N et al., Acta Cytol. 41(2): 357-363 (1997)
5. -

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**